Journal of Applied Polymer Science

Author Index—Volume 77

Abad, M. J. See Barral, L., 2305
Abdel Ghani, S. A. See Osman, H. M., 1067
Abd-El Ghany, S.
—; Abd-El Salam, M. H.; Nasr, G. M.: Study of Dielectric Properties of Particulate Blends, 1816
Abd-El Salam, M. H. See Abd-El Ghany, S., 1816
Abdul Khalil, H. P. S. See Hill, C. A. S., 1322
Acharya, S. See Samal, S., 967
Adnadjevic, B.
—; Jovanovic, J.: Investigation of the Effects of NaA-Type Zeolite on PDMS Composites, 1171
Adnot, A. See Rjeb, A., 1742
Agatsuma, T. See Higuchi, A., 529
Ahmad, M. See Rahman, L., 784
Ahmad, M. B. See Najjar, A. M. K., 2314
Ahmed, M. F. See Taj, S., 112
Aigbodion, A. I.
—; Menon, A. R. R.; Pillai, C. K. S.: Processability Characteristics and Physico-mechanical Properties of Natural Rubber Modified with Rubber Seed Oil and Epoxidized Rubber Seed Oil, 1413
Ainser, A. See Arsac, A., 1316
Airinei, A.
—; Butuc, E.; Cozan, V.: Pendant Functional Group Copolyether Sulfones. II. Modified Copolyether Sulfones with Aminoazobenzene Units, 2009
Airoldi, C.
—; Monteiro, O., Jr.: Chitosan–Organosilane Hybrids—Syntheses, Characterization, Copper Adsorption, and Enzyme Immobilization, 797
Aitola, E. T. See Bergström, C. H., 1108
Akashi, M. See Suzuki, K., 2678
Alberola, N. D. See Vendramini, J., 2513
Al-Diab, S. S. See Al-Muaikel, N. S., 740
Ali, A. E. M. See Badran, A. S., 1240
Allen, S. D. See Sheu, L., 59
Al-Muaikel, N. S.
—; Al-Diab, S. S.; Al-Salamah, A. A.; Zaid, A. M. A.: Synthesis and Characterization of Novel Organotin Monomers and Copolymers and Their Antibacterial Activity, 740
Al-Salah, H. A.
—; Ionomeric Blends of Poly(ethylene oxide) with Poly(styrene-*co*-maleic anhydride) Ionomer: Miscibility, Crystallization, and Melting Behavior, 1
Al-Salamah, A. A. See Al-Muaikel, N. S., 740
Altuncevahir, B. See Salehli, F., 463
Aly, K. I.
—; Khalaf, A. A.: New Polymer Syntheses. IX. Synthesis and Properties of New Conducting Polyazomethine Polymers Containing Main Chain Cycloalkanone and Pyridine Moieties, 1218
Ambasta, B. K. See Pande, C. S., 475
Ambekar, S. Y. See Jagadeesh, K. S., 2097
An, S. See Xiao, C., 2877
Andrassy, M.
—; Pezelj, E.; Čunko, R.: Reduction of Aging Tendency in *p*-Aramide Fibers Using Ultrasound, 2340
Ania, F. See Cagiao, M. E., 636
Aniskevich, K.
—; Hristova, J.: Creep of Polyester Resin Filled with Minerals, 45
Anjum, N. See Gupta, B., 1331, 1401
Aoi, K. See Okada, M., 338
Aranguren, M. I. See Zárate, C. N., 1832
Archana. See Pande, C. S., 475
Arda, E. See Pekcan, Ö., 866
Argon, A. S. See Qin, J., 2319
Arica, M. Y.
—; Epoxy-Derived pHEMA Membrane for Use Bioactive Macromolecules Immobilization: Covalently Bound Urease in a Continuous Model System, 2000
Arsac, A.
—; Zerroukhi, A.; Ainser, A.; Carrot, C.: Rheological Characterization of Styrene Acrylonitrile Copolymers, 1316
Asman, G. See Şanli, O., 1096
Aspnes, D. E. See Hyun, J., 1679
Athawale, V. D.
—; Lele, V.: Factors Influencing Absorbent Properties of Saponified Starch-*g*-(acrylic acid-*co*-acrylamide), 2480
Avella, M.
—; Errico, M. E.: Preparation of PHBV/Starch Blends by Reactive Blending and Their Characterization (Note), 232
Aymard, P. See Normand, V., 1465

Babu, P. R.
—; Gaikar, V. G.: Preparation, Structure, and Transport Properties of Ultrafiltration Membranes of Poly(vinyl chloride) and Poly(vinyl pyrrolidone) Blends, 2606
Badawy, S. M. See Nizam El-Din, H. M. M., 1405
Badran, A. S.
—; Nasr, H. E.; Ali, A. E. M.; El Enany, G. M.: Microemulsion Polymerization of Styrene Using Developed Redox Initiation System and Study of Rheological Properties of Obtained Latices, 1240
Baer, E. See Kerns, J., 1545

Baer, E. See Rogunova, M., 1207
Baessso, M. L. See Santos, W. L. F., 269
Balakrishnan, T.
—; Palani, T.: Triphase Catalysis: Hydroxylation of Cyclo-octane by NaOCl Catalyzed by Coordinatively Bound Manganese(III) Porphyrin to Nitrogen-Based Polymer Supports, 104
Balatinecz, J. See Sain, M., 260
Baltá Calleja, F. J. See Cagiao, M. E., 636
Bao, Y.-Z.
—; Weng, Z.-X.; Huang, Z.-M.; Pan, Z.-R.: Several Features of Vinyl Chloride–Diallyl Phthalate Suspension Copolymerization, 156
Baouab, M. H. V.
—; Gauthier, R.; Gauthier, H.; Chabert, B.; El Baker Rammah, M.: Immobilization of Residual Dyes onto Ion-Exchanger Cellulosic Materials, 171
Barbari, T. A. See Hong, S. U., 1169; Miguel, O., 2391
Barikani, M.
—; Mehdipour-Ataei, S.: Aromatic/Cycloaliphatic Polyimides and Polyamide-imide from Trans-1,4-Cyclohexane Diisocyanate: Synthesis and Properties, 1102
Barletta, P. See Hyun, J., 1679
Barral, L.
—; Cano, J.; López, J.; López-Bueno, I.; Nogueira, P.; Abad, M. J.; Torres, A.; Ramírez, C.: Mechanical Behavior of Tetrafunctional/Phenol Novolac Epoxy Mixtures Cured with a Diamine, 2305
Behari, K. See Taunk, K., 39
Behn, S. See Donaldson, J. D., 1177
Bento, A. C. See Santos, W. L. F., 269
Bergström, C. H.
—; Ruotoistenmäki, J.; Aitola, E. T.; Seppälä, J. V.: Influence of the Polymerization Conditions on the Impact Properties of Metallocene-Catalyzed Copolymers of Ethylene and Aryl-Substituted Norbornenes with Low Exo/Endo Ratios, 1108
Bernardo, A. C. See Liu, Z. Q., 1393
Bertolini, G. See Pazzagli, F., 141
Bevis, M. J. See Sousa, R. A., 1303
Bhagawan, S. S. See Varghese, H., 2335
Bhingarkar, R. V. See Mhaske, S. B., 627
Bhowmick, A. K. See Ghosh, S., 1621; Majumder, P. S., 323
Biçak, N.
—; Senkal, B. F.; Melekaslan, D.: Poly(styrene sulfonamides) with EDTA-Like Chelating Groups for Removal of Transition Metal Ions, 2749
Bicu, I. See Mustaţă, F., 2430
Billieux, S. See Wool, R. P., 1643
Biswas, C. See Jagadeesh, K. S., 2097
Biswas, M.
—; Ray, S. S.: Water-Dispersible Nanocomposites of Polyaniline and Montmorillonite, 2948
Brantley, N. H.
—; Kazarian, S. G.; Eckert, C. A.: *In Situ* FTIR Measurement of Carbon Dioxide Sorption into Poly(ethylene terephthalate) at Elevated Pressures, 764
Brendler, E. See Hettrich, K., 2113
Bucka, H. See Rätzsch, M., 711
Bulmuş, V. See Pekcan, Ö., 866
Butuc, E. See Airinei, A., 2009

Cagiao, M. E.
—; Ania, F.; Baltá Calleja, F. J.; Hirami, M.; Shimomura, T.: Structure–Microhardness Correlation in Blends of Nylon 6/Nylon 66 Monofilaments, 636
Can, M.
—; Pekmez, K.; Pekmez, N.; Yildiz, A.: Electropreparation and Electrochemical Stability of Polythiophenes in Acetonitrile Containing Anhydrous HbF_4, 312
Cano, J. See Barral, L., 2305
Cantor, A. S.
—; Glass Transition Temperatures of Hydrocarbon Blends: Adhesives Measured by Differential Scanning Calorimetry and Dynamic Mechanical Analysis, 826
Cantú, M. E. See Ureta, E., 2603
Capaccio, G. See Lagarón, J. M., 283
Carlson, B. See Puklin, E., 2795
Caron, C. See Dargent, E., 1056
Carrasco, F. See Suñol, J. J., 1269
Carriedo, G. A.
—; Garcia Alonso, F. J.; Gomez Elipe, P.; Gonzalez, P. A.; Marco, C.; Gomez, M. A.; Ellis, G.: On the Presence of Polytetrahydrofuran in the Polyspirophosphazenes $NP(O_2C_{12}H_8)]_n$ Prepared from $NPCl_2]_n$ and 2,2′-Dihydroxybiphenyl in THF as Solvent, 568
Carrot, C. See Arsac, A., 1316
Castro, A. See Núñez, L., 2285
Çatalgil-Giz, H.
—; Hepuzer, Y.: Block Copolymer Synthesis and Chain Extension from TEMPO-Terminated Chains Formed by Ultrasonic Chain Scission, 1950
—; See Salehli, F., 463
Catelli de Souza, A. M. See Simal, A. L., 2346
Çaykara, T.
—; Ören, S.; Kantoglu, Ö.; Güven, O.: The Effect of Gel Composition on the Uranyl Ions Adsorption Capacity of Poly(*N*-vinyl 2-pyrrolidone-*g*-citric acid) Hydrogels Prepared by Gamma Rays, 1037
Cella, N. See D'Almeida, J. R. M., 2486
Chabert, B. See Baouab, M. H. V., 171
Chae, K. H. See Kim, T. H., 2968
Chan, W.-C.
—; Ferng, J.-C.: Mass Transport Process for the Adsorption of Cr(VI) onto Water-Insoluble Cationic Starch Synthetic Polymers in Aqueous Systems, 2409
Chan, X.
—; Qiu, K.-Y.: Synthesis of Well-Defined Polystyrene by Radical Polymerization Using 1,1,2,2-Tetraphenyl-1,2-ethanediol/

$FeCl_3PPh_3$ Initiation System, 1607
Chang, D.-J. See Chen, S.-H., 89
Chang, F.-C. See Wang, X., 184
Chang, J.-S. See Chen, S.-H., 89
Chang, Y.-H.
—; Kim, J.-H.; Lee, S.-B.; Rhee, H.-W.: Polysiloxaneimide Membranes for Removal of VOCs from Water by Pervaporation, 2691
Chang, Y. W. See Kim, J. I., 2595
Chattopadhyay, S.
—; Compatibility Studies on Solution of Polymer Blends by Viscometric and Phase-Separation Technique, 880
Chaudhury, M. See Vaidya, A., 1700
Chavan, S. See Patil, Y. P., 2963
Chen, C.-W. See Suzuki, K., 2678
Chen, D.-Y. See Yang, X.-J., 2363
Chen, G.
—; Ma, Y.; Liu, S.; Qi, Z.: Preparation of Polystyrene/Toluene-2, 4-di-isocyanate-Modified Montmorillonite Hybrid, 2201
Chen, H.
—; Yang, B.; Zhang, H.: Toughening PA1010 with a Functionalized Saturated Polyolefin Elastomer, 928
Chen, H.-Y. See Chen, Y.-W., 189
Chen, H.-Z.
—; Wang, M.; Yang, S.-L.: Molecular Orientation–Photoconductivity Relationship Study of Phthalocyanine Polymer-Oriented Thin Films, 2331
Chen, J.
—; Tsubokawa, N.: Novel Gas Sensor from Polymer-Grafted Carbon Black: Vapor Response of Electric Resistance of Conducting Composites Prepared from Poly(ethylene-*block*-ethylene oxide)-Grafted Carbon Black, 2437
—; See Yang, X.-J., 2363
Chen, J.-A.
—; Yang, C.-P.: Syntheses and Properties of New Poly(amide–imide)s Based on 1,4-Bis(4-aminophenoxy)naphthalene and Various Diimide–Diacids, 217
Chen, Q. See Hong, X., 1353
Chen, Q. Q. See Tang, G.-P., 2411
Chen, R.-S. See Yang, C.-P., 116
Chen, S.-H.
—; Lin, S.-S.; Chang, D.-J.; Chang, J.-S.: Gas Transport Properties of $CoAlPO_4$-5/PC Membranes, 89
Chen, W. See Xu, X., 1709
Chen, W.-C. See Wen, T.-C., 680
Chen, Y.-W.
—; He, Y.-K.; Chen, H.-Y.; Wang, F.; Chen, Z.-J.; Gong, Q.-H.: Photorefractive Effect in a New Composite Based on Bifunctional Host Polymer, 189
Chen, Z.-J. See Chen, Y.-W., 189
Cheng, S.
—; Xu, Z.; Yuan, J.; Ji, P.; Xu, J.; Ye, M.; Shi, L.: Synthesis and Characterization of Polystyrene-*b*-Poly(ethylene oxide)-*b*-Polystyrene Triblock Copolymers by Atom-Transfer Radical Polymerization, 2882
Cheng, W.-H.
—; Liang, Y. C.: Catalytic Pyrolysis of Polyvinylchloride in the Presence of Metal Chloride, 2464
Chew, C. H. See Liu, J., 2785
Chirachanchai, S.
—; Laobuthee, A.; Phongtamrug, S.; Siripatanasarakit, W.; Ishida, H.: A Novel Ion Extraction Material Using Host-Guest Properties of Oligobenzoxazine Local Structure and Benzoxazine Monomer Molecular Assembly, 2561
Cho, C. K. See Lee, H. S., 699
Cho, H. H.
—; Kim, K. H.; Ito, H.; Kikutani, T.: Fine-Structure and Physical Properties of Polyethylene Fibers in High-Speed Spinning. I. Effect of Melt-Flow Rate in the High-Density Polyethylene, 1182
—; Kim, K. H.; Ito, H.; Kikutani, T.: Fine Structure and Physical Properties of Polyethylene Fibers in High-Speed Spinning. II. Effect of Catalyst Systems in Linear Low-Density Polyethylene, 1195
—; Kim, K. H.; Kang, Y. A.; Ito, H.; Kikutani, T.: Fine Structure and Physical Properties of Polyethylene/Poly(ethylene terephthalate) Bicomponent Fibers in High-Speed Spinning. I. Polyethylene Sheath/Poly(ethylene terephthalate) Core Fibers, 2254
—; Kim, K. H.; Kang, Y. A.; Ito, H.; Kikutani, T.: Fine Structure and Physical Properties of Poly(ethylene terephthalate)/Polyethylene Bicomponent Fibers in High-Speed Spinning. II. Poly(ethylene terephthalate) Sheath/Polyethylene Core Fibers, 2267
Cho, J. W.
—; Choi, J. S.: Relationship between Electrical Resistance and Strain of Carbon Fibers upon Loading, 2082
Cho, K. See Hwang, J. W., 921
Cho, K. Y. See Kim, C.-H., 226; Moon, K. S., 1294
Cho, W.-J. See Ha, C.-S., 2777
Cho, W.-J. See Hoang, T., 2296
Cho, Y.-W. See Ha, C.-S., 2777
Cho, Y. W. See Lyoo, W. S., 123
Choi, E.-J. See Kim, C.-H., 226, 2049
Choi, H. D. See Moon, K. S., 1294
Choi, H. J. See Shin, T. K., 1348
Choi, J.-H. See Chung, C.-M., 1802
Choi, J. H. See Lyoo, W. S., 123
Choi, J. S. See Cho, J. W., 2082
Choi, S.-H.
—; Lee, K.-P.; Lee, J.-G.; Nho, Y. C.: Graft Copolymer–Metal Complexes Obtained by Radiation Grafting on Polyethylene Film, 500
Chowdhury, G.
—; Vujosevic, R.; Matsuura, T.; Laverty, B.: Effects of Polymer Molecular Weight and Chemical Modification on the Gas Transport Properties of Poly(2,6-dimethyl-1,4-phenylene oxide), 1137
Chowdhury, S. R.
—; Das, C. K.: Studies on Blends of Ethylene Vinyl Acetate and

Polyacrylic Rubber with Reference to Their Shrinkability, 2088
Chu, B. See Zhou, S.-Q., 733
Chun, Y. S.
—; Kim, W. N.: Thermal Properties of Blends of Poly(hydroxybutyrate-*co*-hydroxyvalerate) and Poly(styrene-*co*-acrylonitrile), 673
Chung, C.-M.
—; Kim, J.-G.; Choi, J.-H.: Synthesis and Photopolymerization of Dicarboxylic Acid Dimethacrylates and Their Application as Dental Monomers, 1802
Cisek-Cicirko, I.
—; Lubczak, J.: Reactions of Hydroxymethyl Derivatives of Uric Acid with Oxiranes. I. Synthesis of Polyetherols with Purine Rings, 2667
Claire, Y. See Rjeb, A., 1742
Cohen, R. E. See Qin, J., 2319
Collier, J. R. See Petrovan, S., 1369
Coote, C. F.
—; Hamilton, J. V.; McGimpsey, W. G.; Thompson, R. W.: Oxidation of Gamma-Irradiated Ultrahigh Molecular Weight Polyethylene, 2525
Coqueret, X. See Le Thuaut, P., 2118
Corno, C. See Pazzagli, F., 141
Costin, C. See Puklin, E., 2795
Cozan, V. See Airinei, A., 2009
Crini, G. See Le Thuaut, P., 2118
Cser, F. See Kukaleva, N., 1591
Cunha, A. M. See Liu, Z. Q., 1393; Sousa, R. A., 1303
Čunko, R. See Andrassy, M., 2340
Cunliffe, D. See Flores, A., 1841
Cuomo, J. J. See Hyun, J., 1679
Cyras, V. P.
—; Vázquez, A.; Rozsa, Ch.; Galego Fernández, N.; Torre, L.; Kenny, J. M.: Thermal Stability of P(HB-*co*-HV) and Its Blends with Polyalcohols: Crystallinity, Mechanical Properties, and Kinetics of Degradation, 2889
Dabir, B. See Nazockdast, H., 2448
Dafu, W.
—; Tiejun, Z.; Yi, X.-S.: Resistivity–Volume Expansion Characteristics of Carbon Black-Loaded Polyethylene, 53
Dai, Y. See Jian, X. G., 2385
D'Almeida, J. R. M.
—; Cella, N.: Analysis of the Fracture Behavior of Epoxy Resins Under Impact Conditions, 2486
Damshkaln, L. G. See Lozinsky, V. I., 2017
Dandurand, J. See Mayoux, C., 2621
Daniels, E. S. See Ghazaly, H. M., 1362; Tang, J., 644
Dargent, E.
—; Denis, G.; Caron, C.; Saiter, J. M.; Grenet, J.: Effect of Water Molecules on Crystallization During Unixial Drawing of Poly(ethylene terephthalate) Films, 1056
Das, C. K. See Chowdhury, S. R., 2088
Das, R. R. See Samal, S., 967
De, P. P. See Ghosh, S. K., 816
De, S. K. See Ghosh, S. K., 816
Debecker, M. See Leroy, D., 1230
Dębek, C. See Kuran, W., 2165
Decker, C.
—; Viet, T. N. T.: High-Speed Photocrosslinking of Thermoplastic Styrene-Butadiene Elastomers, 1902
Delfan, N. See Mehrabzadeh, M., 2057
Deng, J. P.
—; Yang, W. T.; Rånby, B.: Surface Photografting Polymerization of Vinyl Acetate (VAc), Maleic Anhydride, and Their Charge Transfer Complex. 2. VAc(2), 1522
—; Yang, W. T.; Rånby, B.: Surface Photografting Polymerization of Vinyl Acetate (VAc), Maleic Anhydride, and Their Charge Transfer Complex. I. VAc(1), 1513
Deng, Y. See Yang, N., 2067
Denis, G. See Dargent, E., 1056
De Rovère, A.
—; Shambaugh, R. L.; O'Rear, E. A.: Investigation of Gravity-Spun, Melt-Spun, and Melt-Blown Polypropylene Fibers Using Atomic Force Microscopy, 1921
Desai, J. D. See Soni, S., 2996
De Saja, J. A. See Díez-Gutiérrez, S., 1275
De Souza, A. M. C. See Simal, A. L., 2126
Dessouki, A. M. See Nizam El-Din, H. M. M., 1405
Devi, S. See Soni, S., 2996
Dey, R. K. See Samal, S., 967
Dezotti, M. See Pinho, M. S., 2329
Díez-Gutiérrez, S.
—; Rodríguez-Pérez, M. A.; De Saja, J. A.; Velasco, J. I.: Heterogeneity and Anisotropy of Injection-Molded Discs of Polypropylene and Polypropylene Composites, 1275
Dimonie, V. L. See Ghazaly, H. M., 1362; Tang, J., 644
Ding, D. See Li, B., 424
Ding, X.-B.
—; Sun, Z.-H.; Zhang, W.-C.; Peng, Y.-X.; Wan, G.-X.; Jiang, Y.-Y.: Adsorption/Desorption of Protein on Magnetic Particles Covered by Thermosensitive Polymers, 2915
Donaldson, J. D.
—; Grimes, S. M.; Houlson, A. D.; Behn, S.: Curing of a Polysulfide Sealant with Sodium Birnessite, 1177
Dong, Q.
—; Hsieh, Y.-L.: Acrylonitrile Graft Copolymerization of Casein Proteins for Enhanced Solubility and Thermal Properties, 2543
Drinkenburg, A. A. H. See Kemmere, M. F., 2419
Du, Y. See Zhang, L., 610
Duan, X. See Zhang, Z., 890
Dubé, M. A. See Hakim, M., 602
Dubey, V.
—; Gupta, A. K.; Maiti, S. N.; Rao, N. B. S. N.: Diffusion and Sorption of Sulfur Mustard and Bis(2-Chloroethyl)ether in Elastomers: A Comparative Study, 2472
Dusane, D. See Patil, Y. P., 2963

Dzięcioł, M.
—; Trzeszczyński, J.: Volatile Products of Poly(ethylene terephthalate) Thermal Degradation in Nitrogen Atmosphere, 1894

East, G. C. See Rogers-Gentile, V., 64
Eckert, C. A. See Brantley, N. H., 764
Eissa, A. M. F. See Mahmoud, A. A., 390
El-Aasser, M. S. See Ghazaly, H. M., 1362; Tang, J., 644
El Baker Rammah, M. See Baouab, M. H. V., 171
El-Bindary, A. A.
—; El-Sonbati, A. Z.; El-Deeb, N. A.: Polymer Complexes. XXXI. Potentiometric and Thermodynamic Studies of 2-Acrylamido-2-amino-3-hydroxy Pyridine and Its Metal Complexes, 2552
El-Deeb, N. A. See El-Bindary, A. A., 2552
El Enany, G. M. See Badran, A. S., 1240
El Irdissi, M. C. See Rjeb, A., 1742
Ellis, G. See Carriedo, G. A., 568
El-Sawy, A. A. See Mahmoud, A. A., 390
El-Sonbati, A. Z. See El-Bindary, A. A., 2552
El-Zawawy, W. K. See Mansour, O. Y., 1666
Embiruçu, M.
—; Lima, E. L.; Pinto, J. C.: Continuous Soluble Ziegler-Natta Ethylene Polymerizations in Reactor Trains. I. Mathematical Modeling, 1574
Eromonsele, O. C. See Okieimen, F. E., 1432
Errico, M. E. See Avella, M., 232
Erro, R.
—; Gaztelumendi, M.; Nazábal, J.: Effects of the Chemical Structure on the Miscibility Level and Properties of Phenoxy/Polymethacrylate Blends, 2978
Espuche, E. See Lennon, P., 857

Fang, S. See Zhang, Z., 2957
Fang, S. B. See Wu, Y. P., 1735
Farris, R. J. See Rao, Y. Q., 1938
Fawcett, A. H.
—; McNally, T. M.: A Dynamic Mechanical and Thermal Study of Various Rubber–Bitumen Blends, 586
Feder, J. See Lapique, F., 2370
Feng, L. See Guan, J., 2505; Xu, X., 1709
Ferng, J.-C. See Chan, W.-C., 2409
Fischer, S. See Hettrich, K., 2113
Flores, A.
—; Cunliffe, D.; Whitcombe, M. J.; Vulfson, E. N.: Imprinted Polymers Prepared by Aqueous Suspension Polymerization, 1841
Fraga, F. See Núñez, L., 2285
Freeman, B. D. See Higuchi, A., 529
Frisch, K. C. See Peng, S., 374
Fuchs, A. See Peng, S., 374
Fuller, R. See Javni, I., 1723

Gaikar, V. G. See Babu, P. R., 2606
Gajre, B. See Patil, Y. P., 2963
Galego Fernández, N. See Cyras, V. P., 2889
Gan, L. M. See Liu, J., 2785
Gao, C. See Guan, J., 2505
Gao, J.
—; Wu, C.: A Novel Application of Using a Commercial Fraunhofer Diffractometer to Size Particles Dispersed in a Solid Matrix (Note), 1165
Gao, S. See Xiao, C., 617
Garcia Alonso, F. J. See Carriedo, G. A., 568
García-Quesada, J. C.
—; Gilbert, M.: Peroxide Crosslinking of Unplasticized Poly(vinyl chloride), 2657
Garnier, S. See Zhao, C., 249
Gauthier, C. See Sindt, O., 2768
Gauthier, H. See Baouab, M. H. V., 171
Gauthier, R. See Baouab, M. H. V., 171
Gaztelumendi, M. See Erro, R., 2978
Ge, J.
—; Zhong, W.; Guo, Z.; Li, W.; Sakai, K.: Biodegradable Polyurethane Materials from Bark and Starch. I. Highly Resilient Foams, 2575
Ge, X. See Zhang, G., 1989
Ghazaly, H. M.
—; Daniels, E. S.; Dimonie, V. L.; El-Aasser, M. S.; Klein, A.: Synthesis and Characterization of a Macromonomer Crosslinker, 1362
Ghosh, S.
—; Bhowmick, A. K.; Roychowdhury, N.; Holden, G.: Influence of Block Molecular Weight on the Properties of Styrene-Ethylenebutylene-Styrene Block Copolymers, 1621
Ghosh, S. K.
—; De, P. P.; Khastgir, D.; De, S. K.: Physicomechanical and Dielectric Properties of Magnesium and Barium Ionomers Based on Sulfonated Maleated Styrene-Ethylene/butylene-Styrene Block Copolymer, 816
Gilbert, M. See García-Quesada, J. C., 2657
Gilbert, R. D.
—; Venditti, R. A.; Zhang, C.; Koelling, K. W.: Melt Spinning of Thermotropic Cellulose Derivatives, 418
Giz, A. See Salehli, F., 463
Go, J.-H. See Ha, C.-S., 2777
Goharpey, F. See Nazockdast, H., 2448
Gomez, M. A. See Carriedo, G. A., 568
Gomez Elipe, P. See Carriedo, G. A., 568
Gondo, Y. See Tago, K., 1538
Gong, Q.-H. See Chen, Y.-W., 189
Gonzalez, P. A. See Carriedo, G. A., 568
Gorelova, M. M. See Pinho, M. S., 2329
Gouin, S.
—; Gouterman, M.: Ideality of Pressure-Sensitive Paint. II. Effect of Annealing on the Temperature Dependence of the Luminescence, 2805
—; Gouterman, M.: Ideality of Pressure-Sensitive Paint. III. Effect of the Base-Coat Permeability on the

Luminescence Behavior of the Sensing Layer, 2824
—; Gouterman, M.: Ideality of Pressure-Sensitive Paint. IV. Improvement of Luminescence Behavior by Addition of Pigment, 2815
Gouin, S. See Puklin, E., 2795
Gouterman, M. See Gouin, S., 2805, 2815, 2824; Puklin, E., 2795
Gradwell, M. H. S. See Reyneke-Barnard, C. P., 2718, 2732
Green, E. See Puklin, E., 2795
Gregor, H. P. See Han, W., 1600
Grenet, J. See Dargent, E., 1056
Grimes, S. M. See Donaldson, J. D., 1177
Grundke, K. See Wulf, M., 2493
Gryta, M. See Kałędkowski, B., 898
Gu, L.-X. See Huang, M.-R., 2396
Gu, Q. See Sun, N., 2044
Guan, J.
—; Gao, C.; Feng, L.; Shen, J.: Functionalizing of Polyurethane Surfaces by Photografting with Hydrophilic Monomers, 2505
—; Yang, W.: Photografting of PVC Containing *N,N*-diethyldithiocarbamate Groups with Vinyl Monomers, 2569
Guan, R.
—; Study on Compatibility of PP–STC Blends Functionalized by Ultraviolet Irradiation, 96
Guan, Y.
—; Zhang, W.; Wan, G.; Peng, Y.; Ji, P.; Xu, J.; Ye, M.; Shi, L.: Preparation of Polytetrahydrofuran Monomethacrylate Macromonomers by Cationic Ring-Opening Polymerization of Tetrahydrofuran, 810
Guo, A.
—; Javni, I.; Petrovic, Z.: Rigid Polyurethane Foams Based on Soybean Oil, 467
—; See Javni, I., 1723
Guo, J. See Zhang, L., 610
Guo, Z. See Ge, J., 2575
Gupta, A. K. See Dubey, V., 2472
Gupta, A. P. See Gupta, B., 1331, 1401
Gupta, B.
—; Anjum, N.; Gupta, A. P.: Development of Membranes by Radiation Grafting of Acrylamide into Polyethylene Films: Influence of Synthesis Conditions, 1331
—; Anjum, N.; Gupta, A. P.: Influence of Solvents on Radiation-Induced Graft Copolymerization of Acrylamide into Polyethylene Films, 1401
Gupta, N. K. See Jain, A. K., 1488
Gupta, V. B. See Rajkhowa, R., 2418
Güven, O. See Çaykara, T., 1037
Guyot, A. See Sindt, O., 2768

Ha, C.-S.
—; Cho, Y.-W.; Go, J.-H.; Cho, W.-J.: Dynamic Mechanical Properties of Propylene-*g*-maleic Anhydride and EPDM Blends: Effect of Blend Preparation Methods, 2777
—; See Hoang, T., 2296; Moon, J.-Y., 1809
Ha, W. S. See Lyoo, W. S., 123
Hajipour, A.-R. See Mallakpour, S. E., 3003
Hakim, M.
—; Verhoeven, V.; McManus, N. T.; Dubé, M. A.; Penlidis, A.: High-Temperature Solution Polymerization of Butyl Acrylate/Methyl Methacrylate: Reactivity Ratio Estimation, 602
Hamaide, T. See Sindt, O., 2768
Hamilton, J. V. See Coote, C. F., 2525
Han, K.
—; Jang, W.-H.; Rhee, T. H.: Synthesis of Fluorinated Polyimides and Their Application to Passive Optical Waveguides, 2172
Han, R. See Jiang, W. H., 428
Han, S. J.
—; Lohse, D. J.; Radosz, M.; Sperling, L. H.: Morphologies of Blends of Isotactic Polypropylene and Ethylene Copolymer by Rapid Expansion of Supercritical Solution and Isobaric Crystallization from Supercritical Solution, 1478
Han, S. S. See Lyoo, W. S., 123
Han, W.
—; Gregor, H. P.; Pearce, E. M.: Interaction of Proteins with Ultrafiltration Membranes: Development of a Nonfouling Index Test, 1600
Haron, J. See Rahman, L., 784
Hassander, H. See Karlsson, O. J., 297
Hayakawa, T.
—; Matsunaga, T.: Effects of Epoxy Resin on Mechanical and Thermal Characteristics of Poly(propylene oxide)/Poly(butyl acrylate) Networks, 1886
Hayashi, R. See Higashi, F., 875
He, B. See Li, B., 424
He, G.-Y. See Yang, X.-J., 2363
He, Y.-K. See Chen, Y.-W., 189
Henry, I. See Jean, M. R., 2711
Hepuzer, Y. See Çatalgil-Giz, H., 1950
Herbst, H. See Kartalis, C. N., 1118
Hetper, J. See Kałędkowski, B., 898
Hettrich, K.
—; Fischer, S.; Brendler, E.; Voigt, W.: Dissolution and Formation of Polyacrylonitrile in Low-Temperature Molten Salts, 2113
Hibino, K.
—; Kimura, Y.: Preparation of Novel Reactive Plastisol Based on Poly(vinyl chloride) and Multifunctional Acryl Esters, 1794
Higashi, F.
—; Hayashi, R.: Copolycondensation of IPA/TPA, BPA, and 4,4′-Dihydroxydiphenylsulfone and 4,4′-Dicarboxydiphenylsulfone, 875
Higuchi, A.
—; Agatsuma, T.; Uemiya, S.; Kojima, T.; Mizoguchi, K.; Pinnau, I.; Nagai, K.; Freeman, B. D.: Preparation and Gas Permeation of Immobilized Fullerene Membranes, 529

Hill, C. A. S.
—; Abdul Khalil, H. P. S.: The Effect of Environmental Exposure Upon the Mechanical Properties of Coir or Oil Palm Fiber Reinforced Composites, 1322
Hillermeier, R. W.
—; Seferis, J. C.: Environmental Effects on Thermoplastic and Elastomer Toughened Cyanate Ester Composite Systems, 556
Hiltner, A. See Kerns, J., 1545; Rogunova, M., 1207
Hirami, M. See Cagiao, M. E., 636
Hirotsu, T. See Zhang, F., 2278
Hlavata, D. See Spirkova, M., 381
Ho, C.-F. See Lin, J.-F., 719
Hoang, T.
—; Park, J.-G.; Kim, G.-N.; Oh, S.-T.; Ha, C.-S.; Cho, W.-J.: Synthesis and Properties of Styrene–EPDM–Vinyl Acetate Graft Polymer, 2296
Hodgkin, J. H. See Varley, R. J., 237
Hoffmann, K. See Kartalis, C. N., 1118
Holden, G. See Ghosh, S., 1621
Hon, D. N.-S.
—; Tang, L.-G.: Chelation of Chitosan Derivatives with Zinc Ions. I. *O,N*-Carboxymethyl Chitosan, 2246
Hong, S. See Zhang, Z., 890
Hong, S. I. See Kang, S. J., 1387
Hong, S. U.
—; Barbari, T. A.: Erratum to "Solubility of Organic Solvents at Infinite Dilution in Polyisobutylene", 1169
Hong, X.
—; Chen, Q.; Zhang, Y.; Liu, G.: Synthesis and Characterization of a Hyperbranched Polyol with Long Flexible Chains and its Application in Cationic UV Curing, 1353
Houlson, A. D. See Donaldson, J. D., 1177
Hourston, D. J. See Silva, G. G., 2034
Hristova, J. See Aniskevich, K., 45
Hrymak, A. N. See Subramanian, R., 1154
Hsieh, A. See Kerns, J., 1545
Hsieh, K.-H. See Hsieh, T.-T., 2319
Hsieh, T.-T.
—; Tiu, C.; Hsieh, K.-H.; Simon, G. P.: Characterization of Thermotropic Liquid Crystalline Polyester/Polycarbonate Blends: Miscibility, Rheology, and Free Volume Behavior, 2319
Hsieh, Y.-L. See Dong, Q., 2543
Hu, C. P. See Hua, F. J., 1532
Hu, X.-B. See Xu, Y.-Z., 2685
Hua, F. J.
—; Hu, C. P.: Morphology and Mechanical Properties of Urethane Acrylate Resin Networks, 1532
Huang, J.-T.
—; Wang, Q.; Sun, J.-W.: Monomers and Polymers of 4-(*N,N*-Diallylamino)pyridine Functions, 363
Huang, K.-S.
–; Studies of Crosslink Structures in Cotton Fabrics Treated with Dimethylol Ethylene Urea and Monomethylol Ethylene Urea Prepolymer Mixture for Wrinkle-Resistant Finish, 489
Huang, M.-R.
—; Li, X.-G.; Ji, X.-L.; Qiu, W.; Gu, L.-X.: Actual Air Separation across Multilayer Composite Membranes, 2396
Huang, P. C. See Yang, J. P., 484
Huang, S. K. See Lin, J.-F., 719
Huang, Y. H. See Subramanian, R., 1154
Huang, Y.-L. See Lee, W.-F., 1749, 1769
Huang, Z.-M. See Bao, Y.-Z., 156; Shan, G.-R., 2581
Hwang, J. W.
—; Cho, K.; Yoon, T. H.; Park, C. E.: Effects of Molecular Weight of Polysulfone on Phase Separation Behavior for Cyanate Ester/Polysulfone Blends, 921
Hyun, J.
—; Barletta, P.; Koh, K.; Yoo, S.; Oh, J.; Aspnes, D. E.; Cuomo, J. J.: Effect of Ar Ion Beam in the Process of Plasma Surface Modification of PET Films, 1679
Ibrahim, M. M. See Mansour, O. Y., 1666
Ibrahim, M. S. See Nizam El-Din, H. M. M., 955
Ichimura, K. See Ohe, Y., 2189
Ikada, Y. See Tsuji, H., 1452
Imen, K. See Sheu, L., 59
Iruin, J. J. See Miguel, O., 2391
Işeri, R.
—; Küsefoğlu, S. H.: New Monomers and Polymers Derived from α-Hydroxymethyl Methyl Vinyl Ketone, 509
Ishida, H. See Chirachanchai, S., 2561
Ishimaru, K. See Tago, K., 1538
Ito, H. See Cho, H. H., 1182, 1195, 2254, 2267; Ohe, Y., 2189
Ivanchev, S. S. See Rätzsch, M., 711

Jackson, P. See Peng, S., 374
Jagadeesh, K. S.
—; Rao, J. G.; Shashikiran, K.; Suvarna, S.; Ambekar, S. Y.; Saletore, M.; Biswas, C.; Rajanna, A. V.: Cure Kinetics of Multifunctional Epoxies with 2,2′-Dichloro-4,4′-Diaminodiphenylmethane as Hardener, 2097
Jain, A. K.
—; Gupta, N. K.; Nagpal, A. K.: Effect Of Dynamic Cross-Linking On Melt Rheological Properties Of Polypropylene/Ethylene–Propylene–Diene Rubber Blends, 1488
Jang, H.-J. See Moon, J.-Y., 1809
Jang, J.
—; Kim, B.-S.: Studies of Crosslinked Styrene–Alkyl Acrylate Copolymers for Oil Absorbency Application. I. Synthesis and Characterization, 903
—; Kim, B.-S.: Studies of Crosslinked Styrene–Alkyl Acrylate Copolymers for Oil Absorbency Application. II. Effects of Polymerization Conditions on Oil Absorbency, 914
Jang, W.-H. See Han, K., 2172
Javni, I.
—; Petrovic, Z. S.; Guo, A.; Fuller, R.: Thermal Stability of

Polyurethanes Based On Vegetable Oils, 1723
—; See Guo, A., 467
Jean, M. R.
—; Henry, I.; Taha, M.: Polyurethane Acrylate/Epoxy–Amine Acrylate Hybrid Polymer Networks, 2711
Jegal, J.
—; Oh, N.-W.; Lee, K.-H.: Preparation and Characterization of PVA/SA Composite Nanofiltration Membranes, 347
Jérôme, C. See Leroy, D., 1230
Jérôme, R. See Leroy, D., 1230
Jhon, M. S. See Shin, T. K., 1348
Ji, B. C. See Lyoo, W. S., 123
Ji, P. See Cheng, S., 2882; Guan, Y., 810
Ji, X.-L. See Huang, M.-R., 2396
Jia, G. See Xiao, C., 2877
Jiang, C. Y. See Wu, Y. P., 1735
Jiang, W. H.
—; Han, R.: Prediction of Solvent-Diffusion Coefficient in Polymer by a Modified Free-Volume Theory, 428
Jiang, Y.-Y. See Ding, X.-B., 2915
Jiang, Y. Y. See Wu, Y. P., 1735
Jian, X. G.
—; Dai, Y.; Zeng, L.; Xu, R. X.: Application of Poly(Phthalazine Ether Sulphone Ketone)s to Gas Membrane Separation, 2385
Jin, H.-J.
—; Park, K.-H.; Kim, M.-N.; Yoon, J.-S.: Properties of Aliphatic Polyesters with *n*-Paraffinic Side Branches, 547
Jipa, S. See Zaharescu, T., 982
Johnson, M. B.
—; Wilkes, G. L.; Sukhadia, A. M.; Rohlfing, D. C.: Optical Properties of Blown and Cast Polyethylene Films: Surface Versus Bulk Structural Considerations, 2845
Johnson, T.
—; Thomas, S.: Pervaporation of Acetone-Chlorinated Hydrocarbon Mixtures through Polymer Blend Membranes of Natural Rubber and Epoxidized Natural Rubber, 2365
Jollands, M. See Kukaleva, N., 1591
Jones, F. N. See Subrayan, R. P., 2212
Joseph, V. S. See Reddy, G. V. R., 398
Jøssang, T. See Lapique, F., 2370
Jovanovic, J. See Adnadjevic, B., 1171
Jung, H.-W. See Yoon, J.-S., 1716

Kalędkowski, B.
—; Hetper, J.; Gryta, M.: Properties of Trialkylamines as Catalysts of Resoles Synthesis, 898
Kabeya, H. See Zhang, F., 2278
Kakavas, P. A.
—; A New Development of the Strain Energy Function for Hyperelastic Materials Using a Logarithmic Strain Approach, 660
Kalay, G. See Sousa, R. A., 1303
Kaloustian, J.
—; Pauli, A. M.; Pastor, J.: Chemical and Thermal Analysis of the Biopolymers in the Lavandin, 1629
—; See Rjeb, A., 1742
Kamer, O. See Salehli, F., 463
Kang, S. J.
—; Hong, S. I.; Park, C. R.: Preparation and Properties of Aromatic Polyamide Homologs Containing Chlorine Substituents, 1387
Kang, Y. A. See Cho, H. H., 2254, 2267
Kantoglu, Ö. See Çaykara, T., 1037
Karayannidis, G. P.
—; Psalida, E. A.: Chain Extension of Recycled Poly(ethylene terephthalate) with 2,2′-(1,4-phenylene)bis(2-oxazoline), 2206
Karkanas, P. I.
—; Partridge, I. K.: Cure Modelling and Monitoring of Epoxy/Amine Resin Systems. Part I: Cure Kinetics Modelling, 1419
—; Partridge, I. K.: Cure Modeling and Monitoring of Epoxy/Amine Resin Systems. II. Network Formation and Chemoviscosity Modeling, 2178
Karlsson, O. J.
—; Hassander, H.; Wesslén, B.: Influence of Seed Polymer Molecular Weight on Polymerization Kinetics and Particle Morphology of Structured Styrene–Butadiene Latexes, 297
Kartalis, C. N.
—; Papaspyrides, C. D.; Pfaendner, R.; Hoffmann, K.; Herbst, H.: Mechanical Recycling of Post-Used HDPE Crates Using the Restabilization Technique Part 2: Influence of Artificial Weathering, 1118
Kaushiva, B. D.
—; Wilkes, G. L.: Influence of Diethanolamine (DEOA) on Structure–Property Behavior of Molded Flexible Polyurethane Foams, 202
Kazarian, S. G. See Brantley, N. H., 764
Kemmere, M. F.
—; Mayer, M. J. J.; Meuldijk, J.; Drinkenburg, A. A. H.: The Influence of 4-*tert*-Butylcatechol on the Emulsion Polymerization of Styrene (Note), 2419
Kenny, J. M. See Cyras, V. P., 2889
Kerns, J.
—; Hsieh, A.; Hiltner, A.; Baer, E.: Comparison of Irreversible Deformation and Yielding in Microlayers of Polycarbonate with Poly(methylmethacrylate) and Poly(styrene-co-acrylonitrile), 1545
Khaikine See Rätzsch, M., 711
Khalaf, A. A. See Aly, K. I., 1218
Khastgir, D. See Ghosh, S. K., 816
Khoee, S. See Mallakpour, S. E., 3003
Khulbe, K. C.
—; Matsuura, T.; Kim, H. J.: Raman Scattering of PPO Membranes (Note), 2558
Kiatkamjornwong, S. See Nuisin, R., 1013
Kikutani, T. See Cho, H. H., 1182, 1195, 2254, 2267
Kim, B.-S. See Jang, J., 903, 914

Kim, C.-H.
—; Choi, E.-J.; Park, J.-K.: Effect of PEG Molecular Weight on the Tensile Toughness of Starch/PCL/PEG Blends, 2049
—; Cho, K. Y.; Choi, E.-J.; Park, J.-K.: Effect of P(*l*LA-*co*-εCL) on the Compatibility and Crystallization Behavior of PCL/PLLA Blends, 226
Kim, D. See Lee, J. Y., 2646
Kim, G.-N. See Hoang, T., 2296
Kim, H.-D. See Lee, T.-J., 577
Kim, H. J. See Khulbe, K. C., 2558
Kim, H.-K. See Kim, T. H., 2968
Kim, J. See Shin, T. K., 1348
Kim, J.-G. See Chung, C.-M., 1802
Kim, J. H.
—; Lee, S. B.; Kim, S. Y.: Incorporation Effects of Fluorinated Side Groups into Polyimide Membranes on Their Physical and Gas Permeation Properties, 2756
—; Lee, S. Y.; Park, J. H.; Lyoo, W. S.; Noh, S. K.: Kinetics of Polycondensation and Copolycondensation of Bis(3-hydroxypropyl Terephthalate) and Bis(2-hydroxyethyl Terephthalate), 693
Kim, J.-H. See Chang, Y.-H., 2691
Kim, J. I.
—; Ryu, S. H.; Chang, Y. W.: Mechanical and Dynamic Mechanical Properties of Waste Rubber Powder/HDPE Composite, 2595
Kim, K. H. See Cho, H. H., 1182, 1195, 2254, 2267
Kim, K.-H. See Moon, J.-Y., 1809
Kim, M.-N. See Jin, H.-J., 547; Yoon, J.-S., 1716
Kim, S. See Lu, M., 2401
Kim, S. R.
—; Surface Modification of Poly(tetrafluoroethylene) Film by Chemical Etching, Plasma, and Ion Beam Treatments, 1913
Kim, S. W. See Lu, M. G., 1568
Kim, S. Y. See Kim, J. H., 2756
Kim, T. H.
—; Kim, H.-K.; Oh, D. R.; Lee, M. S.; Chae, K. H.: Melt Free-Radical Grafting of Hindered Phenol Antioxidant onto Polyethylene, 2968
Kim, W. N. See Chun, Y. S., 673
Kimura, Y. See Hibino, K., 1794
Kip, B. J. See Lagarón, J. M., 283
Kitagawa, R. See Zhang, F., 2278
Kitamura, Y. See Matsuyama, H., 776
Klein, A. See Ghazaly, H. M., 1362; Tang, J., 644
Knight, R. See Petrovicova, E., 1684
Kobayashi, T. See Xu, R., 1378
Kober, K. See Shunkevich, A. A., 3024
Koelling, K. W. See Gilbert, R. D., 418
Koh, K. See Hyun, J., 1679
Koizumi, T.
—; Usui, S.: The Dependence of Shear and Elongational Viscosity on the Molecular Weight of Poly(vinylidene fluoride), 2381
Kojima, T. See Higuchi, A., 529; Tago, K., 1538
Kono, K.
—; Okabe, H.; Morimoto, K.; Takagishi, T.: Temperature-Dependent Permeability of Polyelectrolyte Complex Capsule Membranes Having *N*-Isopropylacrylamide Domains, 2703
Koshizaki, N. See Mochizuki, A., 517
Kosior, E. See Kukaleva, N., 1591
Kothari, V. K. See Rajkhowa, R., 2418
Kuczyńska, L. See Kuran, W., 2165
Kühn, A. See Zhao, C., 249
Kukaleva, N.
—; Cser, F.; Jollands, M.; Kosior, E.: Comparison of Structure and Properties of Conventional and "High-Crystallinity" Isotactic Polypropylenes and Their Blends with Metallocene-Catalyzed Linear Low-Density Polyethylene. 1. Relationships between Rheological Behavior and Thermal and Physical Properties, 1591
Kulzick, M. See Rogunova, M., 1207
Kumakura, R. See Yamaura, K., 2872
Kumar, A. See Musale, D. A., 1782
Kumari, M. See Pande, C. S., 475
Kuran, W.
—; Dębek, C.; Wielgosz, Z.; Kuczyńska, L.; Sobczak, M.: Application of a Solid-State Postpolycondensation Method for Synthesis of High Molecular Weight Polycarbonates, 2165
Kurihara, S. See Nonaka, T., 1077
Küsefoğlu, S. H. See Işeri, R., 509
Kwok, D. Y. See Wulf, M., 2493
Kyu, T. See Siddhamalli, S. K., 1257

Lacabanne, C. See Mayoux, C., 2621
Lagarón, J. M.
—; Capaccio, G.; Rose, L. J.; Kip, B. J.: Craze Morphology and Molecular Orientation in the Slow Crack Growth Failure of Polyethylene, 283
Lai, J. See Zhou, S.-Q., 733
Laobuthee, A. See Chirachanchai, S., 2561
Lapique, F.
—; Meakin, P.; Feder, J.; Jøssang, T.: Relationships Between Microstructure, Fracture-Surface Morphology, and Mechanical Properties in Ethylene and Propylene Polymers and Copolymers, 2370
Lasarov, H.
—; Mönkkönen, K.; Pakkanen, T. T.: Versatile Laboratory-Scale Polymerization Reactor System: Metallocene/MAO-Based Ethylene/Cycloolefin Copolymerizations, 2921
Laverty, B. See Chowdhury, G., 1137
Law, S. See Sain, M., 260
Lee, A. K. See Moon, K. S., 1294
Lee, C.-J. See Wang, J.-Y., 2303
Lee, C.-L.
—; Wei, K.-H.: Curing Kinetics and Viscosity Change of a Two-Part Epoxy Resin During Mold Filling in Resin Transfer Molding Process, 2139
—; Wei, K.-H.: Effect of Material and Process Variables on the

Performance of Resin-Transfer-Molded Epoxy Fabric Composites, 2149
Lee, D.-J. See Lee, T.-J., 577
Lee, H. S.
—; Park, H. D.; Cho, C. K.: Domain and Segment Orientation Behavior of PBS–PTMG Segmented Block Copolymers, 699
Lee, J. See Lyoo, W. S., 123
Lee, J.-G. See Choi, S.-H., 500
Lee, J.-K. See Moon, J.-Y., 1809
Lee, J. Y.
—; Kim, D.: Desaminated Glycolysis of Water-Blown Rigid Polyurethane Foams, 2646
Lee, K.-H. See Jegal, J., 347
Lee, K.-P. See Choi, S.-H., 500
Lee, M. S. See Kim, T. H., 2968
Lee, P. I. See Wu, X. Y., 833
Lee, S.
—; Park, O. O.: Preparation of the Anhydride Terminated Polycarbonate and Its Reactive Compatibilization with Polystyrene, 1338
Lee, S.-B. See Chang, Y.-H., 2691
Lee, S. B. See Kim, J. H., 2756
Lee, S.-H.
—; Yoshioka, M.; Shiraishi, N.: Preparation and Properties of Phenolated Corn Bran (CB)/Phenol/Formaldehyde Cocondensed Resin, 2901
—; Yoshioka, M.; Shiraishi, N.: Polymer Blend of Cellulose Acetate Butyrate and Aliphatic Polyestercarbonate, 2908
Lee, S. Y. See Kim, J. H., 693
Lee, T.-J.
—; Lee, D.-J.; Kim, H.-D.: Synthesis and Properties of Liquid Crystalline Polyurethane Elastomers, 577
Lee, W.-F.
—; Huang, Y.-L.: Superabsorbent Polymeric Materials VII: Swelling Behavior of Crosslinked Poly Sodium Acrylate-*co*-Trimethyl Methacrylamido-propyl Ammonium Iodide) in Aqueous Salt Solutions, 1749
—; Huang, Y.-L.: Thermoreversible Hydrogels XIV. Synthesis and Swelling Behavior of the (*N*-isopropylacrylamide-*co*-2-Hydroxyethyl methacrylate) Copolymeric Hydrogels, 1769
—; Yeh, P.-L.: Thermoreversible Hydrogels. IX. Swelling Behaviors of Thermosensitive Hydrogels Copolymerized by *N*-Isopropylacrylamide with 1-Vinyl-3-(3-sulfopropyl) Imidazolium Betaine, 14
—; Yuan, W.-Y.: Thermoreversible Hydrogels X· Synthesis and Swelling Behavior of the (*N*-Isopropylacrylamide-*co*-Sodium 2-Acrylamido-2-methylpropyl Sulfonate) Copolymeric Hydrogels, 1760
Lele, V. See Athawale, V. D., 2480
Lennon, P.
—; Espuche, E.; Sautereau, H.; Valot, E.: Using PA11 and 12 as Curing Agents for Epoxy Networks: Influence of Reactivity on Miscibility and Properties, 857
Leong, J. C. See Yin, Y. J., 2929
Leroy, D.
—; Martinot, L.; Debecker, M.; Strivay, D.; Weber, G.; Jérôme, C.; Jérôme, R.: New System for Complexation of Uranyl Ions from Liquid Wastes of Low-Level Activity: Polypyrrole Doped with Complexing Polyanions, 1230
Letarte, S. See Rjeb, A., 1742
Le Thuaut, P.
—; Martel, B.; Crini, G.; Maschke, U.; Coqueret, X.; Morcellet, M.: Grafting of Cyclodextrins onto Polypropylene Nonwoven Fabrics for the Manufacture of Reactive Filters. I. Synthesis Parameters, 2118
Li, B.
—; Ding, D.; Sun, P.; Wang, Y.; Ma, J.; He, B.: PGSE NMR Studies of Water States of Hydrogel P(Am–NaA), 424
Li, G. See Tan, S., 1861, 1869
Li, H. See Wang, X., 24, 184; Zhao, Y., 805
Li, J.-S.
—; Li, Z.-B.; Zhu, P.-K.: Modification of Negative Auto-Photosensitive Polyimide, 943
Li, R. K. Y. See Liang, J. Z., 409; Tjong, S. C., 1964, 2074; Xie, X. L., 1975
Li, W. See Ge, J., 2575
Li, W.-H. See Xu, Y.-Z., 2685
Li, X.-G. See Huang, M.-R., 2396
Li, Z.-B. See Li, J.-S., 943
Li, Z.-M. See Zhang, L.-M., 195
Liang, D.-H. See Zhou, S.-Q., 733
Liang, J. Z.
—; Li, R. K. Y.: Rubber Toughening in Polypropylene: A Review, 409
Liang, Y. C. See Cheng, W.-H., 2464
Lima, E. L. See Embiruçu, M., 1574; Santos, A. F., 453
Limei
—; Zhang, D.; Wang, Q.: Morphology and Thermal Behavior of PP/EHDPET Blend Fibers by Alkaline Hydrolysis Treatment, 3010
Lin, J.-F.
—; Ho, C.-F.; Huang, S. K.: Studies on Curing Kinetics and Total Thermal Degradation of the Modified Epoxy Copolymer with Penta-Coordinated Phosphate as a Tribranched Junction, 719
Lin, S.-S. See Chen, S.-H., 89
Liu, G. See Hong, X., 1353
Liu, H. See Zhang, G., 1989
Liu, J.
—; Teo, W. K.; Chew, C. H.; Gan, L. M.: Nanofiltration Membranes Prepared by Direct Microemulsion Copolymerization Using Poly(ethylene oxide) Macromonomer as a Polymerizable Surfactant, 2785
Liu, P. See Zhao, Y., 805
Liu, S. See Chen, G., 2201
Liu, Y. See Tan, S., 1869
Liu, Z. Q.
—; Cunha, A. M.; Yi, X.-S.; Bernardo, A. C.: Key Properties to Understand the Performance of Polycarbonate Reprocessed by Injection Molding, 1393
Lohse, D. J. See Han, S. J., 1478
López-Bueno, I. See Barral, L., 2305
López, J. See Barral, L., 2305

Lozinsky, V. I.
—; Damshkaln, L. G.: Study of Cryostructuration of Polymer Systems. XVII. Poly(vinyl alcohol) Cryogels: Dynamics of the Cryotropic Gel Formation, 2017
—; Zubov, A. L.; Savina, I. N.; Plieva, F. M.: Study of Cryostructuration of Polymer Systems. XIV. Poly(vinyl Alcohol) Cryogels: Apparent Yield of the Freeze–Thaw-Induced Gelation of Concentrated Aqueous Solutions of the Polymer, 1822
Lu, L.-D. See Yang, X.-J., 2363
Lu, M.
—; Kim, S.: Kinetics and Thermal Characterization of Epoxy–Amine Systems, 2401
Lu, M. G.
—; Shim, M. J.; Kim, S. W.: Dielectric Relaxation and Mechanical Properties of Liquid Crystalline Epoxy Thermosets, 1568
Lu, W. W. See Yin, Y. J., 2929
Lubczak, J. See Cisek-Cicirko, I., 2667
Lufrano, F.
—; Squadrito, G.; Patti, A.; Passalacqua, E.: Sulfonated Polysulfone as Promising Membranes for Polymer Electrolyte Fuel Cells, 1250
Lynch, T.-Y. S. See Rogunova, M., 1207
Lyoo, W. S.
—; Han, S. S.; Yoon, W. S.; Ji, B. C.; Lee, J.; Cho, Y. W.; Choi, J. H.; Ha, W. S.: Syndiotacticity-Rich Ultrahigh Molecular-Weight Poly(vinyl alcohol) Film. I. Determination of Optimum Polymer Concentration by Zone-Drawing Method in Film Preparation, 123
—; See Kim, J. H., 693

Ma, G.-H. See Nuisin, R., 1013; Yuyama, H., 2237
Ma, J. See Li, B., 424
Ma, Y. See Chen, G., 2201
Ma, Y.-M. See Xie, H.-Q., 2156
Machado, J. C. See Silva, G. G., 2034
Madkour, T. M. See Osman, H. M., 1067
Magagnini, P. See Pazzagli, F., 141
Mahmoud, A. A.
—; Eissa, A. M. F.; Omar, M. S.; El-Sawy, A. A.; Shaaban, A. F.: Improvement of White Pinewood Properties by Impregnation with Thiourea–Formaldehyde Resin and Orthophosphoric Acid, 390
Mah, S.
—; Park, S.; Nam, H.; Seoul, C.: Photopolymerization of Acrylonitrile in Concentrated Aqueous Zinc Halide Solutions, 2588
Mai, K.
—; Qiu, W.; Zeng, H.: Effect of Silane-Grafted Polypropylene on the Mechanical Properties and Crystallization Behavior of Talc/Polypropylene Composites, 2974
Maiti, S. N. See Dubey, V., 2472
Majumder, P. S.
—; Bhowmick, A. K.: Structure–Property Relationship of Electron-Beam-Modified EPDM Rubber, 323
Mallakpour, S. E.
—; Hajipour, A.-R.; Khoee, S.: Microwave-Assisted Polycondensation of 4,4′-(Hexafluoroisopropylidene)-*N*,*N*′-bis(phthaloyl-L-leucine) Diacid Chloride with Aromatic Diols, 3003
Mani, K. C. See Reddy, G. V. R., 398
Mannan, Kh. M.
—; Munir, S.: Characterization of Jute Fibers Treated with Soap–Glycerol Micelles, 852
Mansour, O. Y.
—; Sefain, M. Z.; Ibrahim, M. M.; El-Zawawy, W. K.: Paper Coating Mixture: Preparation, Application, and Study of Their Rheological Properties, 1666
Marco, C. See Carriedo, G. A., 568
Martel, B. See Le Thuaut, P., 2118
Martinot, L. See Leroy, D., 1230
Maschke, U. See Le Thuaut, P., 2118
Masuoka, H. See Sumarno, 2383
Matejka, L. See Spirkova, M., 381
Mathew, D.
—; Reghunadhan Nair, C. P.; Ninan, K. N.: Effect of Polymeric Additives on Properties of Glass–Bisphenol A Dicyanate Laminate Composites, 75
Matsunaga, T. See Hayakawa, T., 1886
Matsuura, T. See Chowdhury, G., 1137; Khulbe, K. C., 2558
Matsuyama, H.
—; Nishiguchi, M.; Kitamura, Y.: Phase Separation Mechanism during Membrane Formation by Dry-Cast Process, 776
Maturana, H. A. See Rivas, B. L., 1994
Mauritz, K. A. See Siuzdak, D. A., 2832
Mayer, M. J. J. See Kemmere, M. F., 2419
Mayoux, C.
—; Dandurand, J.; Ricard, A.; Lacabanne, C.: Inverse Suspension Polymerization of Sodium Acrylate: Synthesis and Characterization, 2621
McGill, W. J. See Reyneke-Barnard, C. P., 2718, 2732
McGimpsey, W. G. See Coote, C. F., 2525
McIntyre, J. E. See Rogers-Gentile, V., 64
McManus, N. T. See Hakim, M., 602
McNally, T. M. See Fawcett, A. H., 586
Meakin, P. See Lapique, F., 2370
Mehdipour-Ataei, S. See Barikani, M., 1102
Mehrabzadeh, M.
—; Delfan, N.: Thermoplastic Elastomers of Butadiene-Acrylonitrile Copolymer and Polyamide. VI. Dynamic Crosslinking by Different Systems, 2057
Mehta, I. K. See Pande, C. S., 475
Meissner, B. See Spirkova, M., 381
Mele, P. See Vendramini, J., 2513
Melekaslan, D. See Biçak, N., 2749
Menon, A. R. R. See Aigbodion, A. I., 1413

Mercier, R. See Mhaske, S. B., 627
Merdas, I.
—; Thominette, F.; Verdu, J.: Humid Aging of Polyetherimide. Part 1: Water Sorption Characteristics, 1439
—; Thominette, F.; Verdu, J.: Humid Aging of Polyetherimide. Part II: Consequences of Water Absorption on Thermomechanical Properties, 1445
Merle, G. See Vendramini, J., 2513
Mesh, A. M. See Rätzsch, M., 711
Meuldijk, J. See Kemmere, M. F., 2419
Mhaske, S. B.
—; Bhingarkar, R. V.; Sabne, M. B.; Mercier, R.; Vernekar, S. P.: Synthesis and Characterization of End-Capped Polyimides and Their Gas Permeability Properties, 627
Miguel, O.
—; Barbari, T. A.; Iruin, J. J.: Carbon Dioxide Sorption and Diffusion in Poly(3-hydroxybutyrate) and Poly(3-hydroxybutyrate-co-3-hydroxyvalerate), 2391
Millan, E. J.
—; Webster, I.: Formulation/Property Relationships in Radiation-Cured Polyurethane Methcrylate Pressure-Sensitive Adhesives. 1. Incorporation of Hydrophilic Polyols, 2313
Mirjalili, F. See Pourjavadi, A., 30
Mishra, S. See Patil, Y. P., 2963
Mizoguchi, K. See Higuchi, A., 529
Mizuguchi, M. See Suzuki, K., 2678
Mizuno, A. See Tsuji, H., 1452
Mizutani, Y.
—; Nago, S.; Sasai, M.: Polypropylene Composites with Fine Particles of Poly(styrene-divinylbenzene), 1614
Mo, Z. See Qiu, Z., 2865
Mochizuki, A.
—; Senshu, K.; Seita, Y.; Yamashita, S.; Koshizaki, N.: Polyether-Segmented Nylon Hemodialysis Membrane. VII. Studies on Surface Structures of Various Poly(ethylene oxide)-Segmented Nylon Membranes, 517
Mohamed, A. R. See Osman, H. M., 1067
Mondragon, I. See Sarrionandia, M., 355
Mönkkönen, K. See Lasarov, H., 2921
Monteiro, O., Jr. See Airoldi, C., 797
Moon, J.-Y.
—; Jang, H.-J.; Kim, K.-H.; Park, D.-W.; Ha, C.-S.; Lee, J.-K.: Synthesis of Poly(OVE-*co*-NPM) and Its Miscibility in the Blends with SAN or PVC, 1809
Moon, K. S.
—; Choi, H. D.; Lee, A. K.; Cho, K. Y.; Yoon, H. G.; Suh, K. S.: Dielectric Properties of Epoxy-Dielectrics-Carbon Black Composite for Phantom Materials at Radio Frequencies, 1294
Morcellet, M. See Le Thuaut, P., 2118
Morimoto, K. See Kono, K., 2703
Morton, G. H. See Petrovan, S., 1369
Moschiar, S. M. See Sarrionandia, M., 355
Mosleh, S.
—; Chemical Grafting of 2-Ethyl Methacrylate Phosphoric Acid onto Nylon 6 Fabric, 1357
Mostafa, M. M. See Nizam El-Din, H. M. M., 955
Mukhopadhyay, S. K. See Partridge, J. F., 2104
Munir, S. See Mannan, Kh. M., 852
Muniz, E. C. See Santos, W. L. F., 269
Musale, D. A.
—; Kumar, A.: Solvent and pH Resistance of Surface Crosslinked Chitosan/Poly(acrylonitrile) Composite Nanofiltration Membranes, 1782
Mustaţă, F.
—; Bicu, I.: Multifunctional Epoxy Resins: Synthesis and Characterization, 2430
Nagai, K. See Higuchi, A., 529
Nagai, M. See Yuyama, H., 2237
Nago, S. See Mizutani, Y., 1614
Nagpal, A. K. See Jain, A. K., 1488
Najjar, A. M. K.
—; Yunus, W. M. Z. W.; Ahmad, M. B.; Rahman, M. Z. A.: Preparation and Characterization of Poly(2-acrylamido-2-methylpropane-sulfonic acid) Grafted Chitosan Using Potassium Persulfate as Redox Initiator, 2314
Nam, H. See Mah, S., 2588
Narayan, R.
—; Raju, K. V. S. N.: The Use of Calcined Clay as Part Replacement of Titanium Dioxide in Latex Paint Formulation, 1029
Nasef, M. M.
—; Gamma Radiation-Induced Graft Copolymerization of Styrene onto Poly(ethylene Terephthalate) Films, 1003
—; Saidi, H.; Nor, H. M.: Cation Exchange Membranes by Radiation-Induced Graft Copolymerization of Styrene onto PFA Copolymer Films. III. Thermal Stability of the Membranes, 1877
—; Saidi, H.; Yarmo, M. A.: Cation Exchange Membranes by Radiation-Induced Graft Copolymerization of Styrene onto PFA Copolymer Films. IV. Morphological Investigations Using X-Ray Photoelectron Spectroscopy, 2455
Nasr, G. M. See Abd-El Ghany, S., 1816
Nasr, H. E. See Badran, A. S., 1240
Nazábal, J. See Erro, R., 2978
Nazockdast, H.
—; Goharpey, F.; Dabir, B.: Mathematical Modeling and Experimental Study of Conveyor Belt Continuous Curing Process, 2448
Nele, M.
—; Pinto, J. C.: Retrofitting of Industrial Olefin Polymerization Plants: Producing Broad MWDs

Through Multiobjective Periodic Operation, 437
Neumann, A. W. See Wulf, M., 2493
Nho, Y. C. See Choi, S.-H., 500
Ninan, K. N. See Mathew, D., 75
Nishiguchi, M. See Matsuyama, H., 776
Nizam El-Din, H. M. M.
—; Badawy, S. M.; Dessouki, A. M.: Chelating Polymer Granules Prepared by Radiation-Induced Homopolymerization. I—Kinetic Study of Radiation Polymerization Process, 1405
—; Ibrahim, M. S.; Mostafa, M. M.: New Hydrogel Containing Sulfur Compound Prepared by γ Irradiation and Its Application for Metal Recovery, 955
Nobile, M. R. See Yu, L., 2229
Noda, E. See Nonaka, T., 1077
Nogueira, P. See Barral, L., 2305
Noh, S. K. See Kim, J. H., 693
Nonaka, T.
—; Noda, E.; Kurihara, S.: Graft Copolymerization of Vinyl Monomers Bearing Positive Charges or Episulfide Groups onto Loofah Fibers and Their Antibacterial Activity, 1077
Nor, H. M. See Nasef, M. M., 1877
Normand, V.
—; Pudney, P. D. A.; Aymard, P.; Norton, I. T.: Weighted-Average Isostrain and Isostress Model to Describe the Kinetic Evolution of the Mechanical Properties of a Composite Gel: Application to the System Gelatin : Maltodextrin, 1465
Norton, I. T. See Normand, V., 1465
Nugay, N. See Şen, S., 1128
Nuisin, R.
—; Ma, G.-H.; Omi, S.; Kiatkamjornwong, S.: Dependence of Morphological Changes of Polymer Particles on Hydrophobic/Hydrophilic Additives, 1013
Núñez, L.
—; Fraga, F.; Castro, A.; Núñez, M. R.; Villanueva, M.: Effects of Diffusion on the Kinetic Study of an Epoxy System Diglycidyl Ether of Bisphenol A/1, 2 Diamine Cyclohexane/ Calcium Carbonate Filler, 2285
Núñez, M. R. See Núñez, L., 2285

Oh, D. R. See Kim, T. H., 2968
Oh, J. See Hyun, J., 1679
Oh, N.-W. See Jegal, J., 347
Oh, S.-T. See Hoang, T., 2296
Ohe, Y.
—; Ito, H.; Watanabe, N.; Ichimura, K.: A Novel Dry Photopolymer for Volume-Phase Holograms, 2189
Ohtomo, R. See Se, K., 1558
Okabe, H. See Kono, K., 2703
Okada, M.
—; Tsunoda, K.; Tachikawa, K.; Aoi, K.: Biodegradable Polymers Based on Renewable Resources. IV. Enzymatic Degradation of Polyesters Composed of 1,4:3.6-Dianhydro-D-glucitol and Aliphatic Dicarboxylic Acid Moieties, 338
Okieimen, F. E.
—; Eromonsele, O. C.: Thermal Stabilization of PVC with Khaya Seed Oil: Thermogravimetric Studies, 1432
Olenka, L. See Santos, W. L. F., 269
Omar, M. S. See Mahmoud, A. A., 390
Omi, S. See Nuisin, R., 1013; Yuyama, H., 2237
O'Rear, E. A. See De Rovère, A., 1921
Ören, S. See Çaykara, T., 1037
Osman, H. M.
—; Abdel Ghani, S. A.; Madkour, T. M.; Mohamed, A. R.: Stress Relaxation in Carbon Black Loaded Butyl Rubber, 1067
Otsuki, T. See Zhang, F., 2278
Ou, C.-F.
—; Study on Co{poly(butylene terephthalate-*p*-oxybenzoate)} Thermotropic Copolyester. (I) Composition Analysis and Sequence Distribution, 949
Özkar, S. See Selim, K., 538

Paci, M. See Pazzagli, F., 141
Pagès, P. See Suñol, J. J., 1269
Pakkanen, T. T. See Lasarov, H., 2921
Palani, T. See Balakrishnan, T., 104
Pan, Y. See Yi, X.-S., 494; Zhang, X., 756, 1044
Pan, Z.-R. See Bao, Y.-Z., 156; Shan, G.-R., 2581
Pande, C. S.
—; Mehta, I. K.; Ambasta, B. K.; Kumari, M.; Archana: Preparation of Poly(4-vinylpyrrolidone)-*g*-Poly(*N*-hydroxyacrylamide) and Study of Its Metal Binding Properties, 475
Papaspyrides, C. D. See Kartalis, C. N., 1118
Park, B.-D.
—; Riedl, B.: ^{13}C-NMR Study on Cure-Accelerated Phenol–Formaldehyde Resins with Carbonates, 841
—; Riedl, B.: ^{13}C-NMR Study on Cure-Accelerated Phenol-Formaldehyde Resins with Carbonates, 1284
Park, C. E. See Hwang, J. W., 921
Park, C. R. See Kang, S. J., 1387
Park, D.-W. See Moon, J.-Y., 1809
Park, E.-S. See Yoon, J.-S., 1716
Park, H. D. See Lee, H. S., 699
Park, J.-G. See Hoang, T., 2296
Park, J. H. See Kim, J. H., 693
Park, J.-K. See Kim, C.-H., 226, 2049
Park, J.-W. See Park, K. N., 368
Park, K.-H. See Jin, H.-J., 547
Park, K. N.
—; Park, J.-W.: Modification of Cellulase by Synthesized Copolymer with Polyethylene Oxide and Maleic Acid Anhydride, 368
Park, O. O. See Lee, S., 1338
Park, S. See Mah, S., 2588
Partridge, I. K. See Karkanas, P. I., 1419, 2178
Partridge, J. F.
—; Mukhopadhyay, S. K.: Mathematical Predictions of Gas Permeability for Automotive Air Bags, 2104
Passalacqua, E. See Lufrano, F., 1250
Pastor, J. See Kaloustian, J., 1629

Patil, Y. P.
—; Gajre, B.; Dusane, D.; Chavan, S.; Mishra, S.: Effect of Maleic Anhydride Treatment on Steam and Water Absorption of Wood Polymer Composites Prepared from Wheat Straw, Cane Bagasse, and Teak Wood Sawdust Using Novolac as Matrix, 2963
Patti, A. See Lufrano, F., 1250
Pauli, A. M. See Kaloustian, J., 1629
Pazzagli, F.
—; Paci, M.; Magagnini, P.; Pedretti, U.; Corno, C.; Bertolini, G.; Veracini, C. A.: Effect of Polymerization Conditions on the Microstructure of a Liquid Crystalline Copolyester, 141
Pearce, E. M. See Han, W., 1600
Pedretti, U. See Pazzagli, F., 141
Pekcan, Ö.
—; Arda, E.; Bulmuş, V.; Pişkin, E.: Photon Transmission Method for Studying Film Formation from Polstyrene Latexes with Different Molecular Weights, 866
Pekcan, Ö. See Uğur, Ş., 1087
Pekmez, K. See Can, M., 312
Pekmez, N. See Can, M., 312
Pelton, R. H. See Subramanian, R., 1154
Peng, S.
—; Fuchs, A.; Jackson, P.; Sendijarevic, V.; Frisch, K. C.; Prentice, G. A.: Process Monitoring and Kinetics of Rigid Poly(urethane–isocyanurate) Foams, 374
Peng, Y. See Guan, Y., 810
Peng, Y.-X. See Ding, X.-B., 2915
Peng, Z. See Yuan, X., 2740; Zhang, X., 2641
Penlidis, A. See Hakim, M., 602
Pérez, N.
—; Whitcombe, M. J.; Vulfson, E. N.: Molecularly Imprinted Nanoparticles Prepared by Core-Shell Emulsion Polymerization, 1851
Perichaud, A. See Rjeb, A., 1742
Petrovan, S.
—; Collier, J. R.; Morton, G. H.: Rheology of Cellulosic N-Methylmorpholine Oxide Monohydrate Solutions, 1369
Petrovicova, E.
—; Knight, R.; Schadler, L. S.; Twardowski, T. E.: Nylon 11/Silica Nanocomposite Coatings Applied by the HVOF Process Part I: Microstructure and Morphology, 1684
Petrovic, Z. See Guo, A., 467
Petrovic, Z. S. See Javni, I., 1723
Pezelj, E. See Andrassy, M., 2340
Pfaendner, R. See Kartalis, C. N., 1118
Phongtamrug, S. See Chirachanchai, S., 2561
Pillai, C. K. S. See Aigbodion, A. I., 1413; Prasad, V. S., 2631
Pinho, M. S.
—; Dezotti, M.; Gorelova, M. M.; Soares, B. G.: Electroconducting Composites Based on Polyaniline and Monomer-Swollen Polychloroprene, 2329
Pinnau, I. See Higuchi, A., 529
Pinto, J. C. See Embiruçu, M., 1574; Nele, M., 437; Santos, A. F., 453
Pişkin, E. See Pekcan, Ö., 866
Pizzi, A. See Zhao, C., 249
Plieva, F. M. See Lozinsky, V. I., 1822
Ponomarev, S. See Puklin, E., 2795
Popoola, A. V.
—; Comparative Fastness Assessment Performance of Cellulosic Fibers Dyed Using Natural Colorants, 752
—; Dyeability of Cellulose Fibers Using Dyestuff from African Rosewood (*Pterocarpus Erinaceous*), 746
Popova, O. P. See Shunkevich, A. A., 3024
Porto, M. F. See Santos, W. L. F., 269
Pourjavadi, A.
--; Mirjalili, F.: Synthesis and Characterization of Poly(methacrylates) Containing Spiroacetal and Norbornene Moieties in Side Chain, 30
—; Zamanlu, M. R.; Zohuriaan-Mehr, M. J.: Partially Aromatic Polyamides Based on Tetraphenylthiophene Diamine: Synthesis and Characterization, 1144
Prasad, V. S.
—; Pillai, C. K. S.: Flame Retardation of Polyethylene: Effect of a Phosphorus Flame Retardant Having Both Hydrophobic and Hydrophilic Groups in the Same Molecule, 2631
Prentice, G. A. See Peng, S., 374
Pretzer, W. See Rogunova, M., 1207
Psalida, E. A. See Karayannidis, G. P., 2206
Pudney, P. D. A. See Normand, V., 1465
Puklin, E.
—; Carlson, B.; Gouin, S.; Costin, C.; Green, E.; Ponomarev, S.; Tanji, H.; Gouterman, M.: "Ideal" Pressure-Sensitive Paint: Platinum Tetra-(pentafluorophenyl)porphine in Fluoroacrylic Polymer, 2795

Qi, Z. See Chen, G., 2201
Qin, J.
—; Argon, A. S.; Cohen, R. E.: Toughening of Glassy Polystyrene Through Ternary Blending That Combines Low Molecular Weight Polybutadiene Diluents and ABS or HIPS-Type Composite Particles, 2319
Qiu, K.-Y. See Chan, X., 1607
Qiu, L. Y.
—; Zhu, K. J.: Novel Biodegradable Polyphosphazenes Containing Glycine Ethyl Ester and Benzyl Ester of Amino Acethydroxamic Acid as Cosubstituents: Syntheses, Characterization, and Degradation Properties, 2987
Qiu, W. See Huang, M.-R., 2396; Mai, K., 2974
Qiu, Z.
—; Mo, Z.; Yu, Y.; Zhang, H.; Sheng, S.; Song, C.: Nonisothermal Melt and Cold Crystallization Kinetics of Poly(Aryl Ether Ketone Ether Ketone Ketone), 2865

Rånby, B. See Deng, J. P., 1513, 1522
Radosz, M. See Han, S. J., 1478
Raghavan, D.
—; Study of Rubber-Filled Cementitious Composites, 934
—; See Wool, R. P., 1643
Rahman, L.
—; Silong, S.; Zin, W. M.; Zaki, M.; Ahmad, M.; Haron, J.: Kinetics and Mechanism of Free Radical Grafting of Methyl Acrylate onto Sago Starch, 784
Rahman, M. Z. A. See Najjar, A. M. K., 2314
Rajanna, A. V. See Jagadeesh, K. S., 2097
Rajkhowa, R.
—; Gupta, V. B.; Kothari, V. K.: Tensile Stress–Strain and Recovery Behavior of Indian Silk Fibers and Their Structural Dependence, 2418
Raju, K. V. S. N. See Narayan, R., 1029
Ramírez, C. See Barral, L., 2305
Rao, J. G. See Jagadeesh, K. S., 2097
Rao, N. B. S. N. See Dubey, V., 2472
Rao, Y. Q.
—; Farris, R. J.: A Modeling and Experimental Study of the Influence of Twist on the Mechanical Properties of High-Performance Fiber Yarns, 1938
Rätzsch, M.
—; Bucka, H.; Ivanchev, S. S.; Mesh, A. M.; Khaikine: Some Peculiar Features of Radiation Grafting of Monomers of Various Structures and Reactivities onto Polyolefins, 711
Ray, S. S. See Biswas, M., 2948
Reboredoba, M. M. See Zárate, C. N., 1832
Reddy, G. V. R.
—; Joseph, V. S.; Mani, K. C.: Microemulsion and Conventional Emulsion Copolymerizations of Styrene and *n*-Butyl Methacrylate and Characterization of the Copolymers, 398
Reghunadhan Nair, C. P. See Mathew, D., 75
Reis, R. L. See Sousa, R. A., 1303
Reyneke-Barnard, C. P.
—; Gradwell, M. H. S.; McGill, W. J.: *N,N′*-Pentamethylenethiuram Disulfide- and *N,N′*-Pentamethylenethiuram Hexasulfide-Accelerated Sulfur Vulcanization. I. Interaction of Curatives in the Absence of Rubber, 2718
—; Gradwell, M. H. S.; McGill, W. J.: *N,N′*-Pentamethylenethiuram Disulfide- and *N,N′*-Pentamethylenethiuram Hexasulfide-Accelerated Sulfur Vulcanization. II. Relative Stability of *N,N′*-Pentamethylenethiuram Disulfide and Tetramethylthiuram Disulfide with Respect to Amine Formation, 2732
Rhee, H.-W. See Chang, Y.-H., 2691
Rhee, T. H. See Han, K., 2172
Ricard, A. See Mayoux, C., 2621
Riedl, B. See Park, B.-D., 841, 1284
Rivas, B. L.
—; Maturana, H. A.; Villegas, S.: Adsorption Behavior of Metal Ions by Amidoxime Chelating Resin, 1994
Rjeb, A.
—; Tajounte, L.; El Irdissi, M. C.; Letarte, S.; Adnot, A.; Roy, D.; Claire, Y.; Perichaud, A.; Kaloustian, J.: Study of Polypropylene Natural Aging by Infrared Spectroscopy, 1742
Rodríguez-Pérez, M. A. See Díez-Gutiérrez, S., 1275
Rogers-Gentile, V.
—; East, G. C.; McIntyre, J. E.; Snowden, P.: Fibers from Urea–Formaldehyde Resins, 64
Rogunova, M.
—; Lynch, T.-Y. S.; Pretzer, W.; Kulzick, M.; Hiltner, A.; Baer, E.: Solid-State Structure and Properties of Hyperbranched Polyols, 1207
Rohlfing, D. C. See Johnson, M. B., 2845
Rose, L. J. See Lagarón, J. M., 283
Roy, D. See Rjeb, A., 1742
Roychowdhury, N. See Ghosh, S., 1621
Rozsa, Ch. See Cyras, V. P., 2889
Rubira, A. F. See Santos, W. L. F., 269
Ruotoistenmäki, J. See Bergström, C. H., 1108
Ryu, S. H. See Kim, J. I., 2595

Sabne, M. B. See Mhaske, S. B., 627
Saidi, H. See Nasef, M. M., 1877, 2455
Sain, M.
—; Balatinecz, J.; Law, S.: Creep-Fatigue in Engineered Woodfiber and Plastic Compositions, 260
Saiter, J. M. See Dargent, E., 1056
Sakai, K. See Ge, J., 2575
Salehli, F.
—; Çatalgil-Giz, H.; Giz, A.; Kamer, O.; Altuncevahir, B.: Dielectric Investigation of the Sol-Gel Transition in the Acrylamide/*N,N′* Methylenebisacrylamide System, 463
Salem, T. A. See Sayed, W. M., 1658
Saletore, M. See Jagadeesh, K. S., 2097
Salih, B. See Tuncel, A., 2271
Samal, S.
—; Das, R. R.; Dey, R. K.; Acharya, S.: Chelating Resins VI: Chelating Resins of Formaldehyde Condensed Phenolic Schiff Bases Derived from 4,4′-Diaminodiphenyl Ether with Hydroxybenzaldehydes—Synthesis, Characterization, and Metal Ion Adsorption Studies, 967
Sankarapapavinasam, S. See Taj, S., 112
Şanli, O.
—; Asman, G.: Removal of Fe(III) Ions from Dilute Aqueous Solutions by Alginic Acid-Enhanced Ultrafiltration, 1096
Santos, A. F.
—; Lima, E. L.; Pinto, J. C.: Control and Design of Average Particle Size in Styrene Suspension Polymerizations Using NIRS, 453

Santos, W. L. F.
—; Porto, M. F.; Muniz, E. C.; Olenka, L.; Baessso, M. L.; Bento, A. C.; Rubira, A. F.: Poly(ethylene terephtalate) Films Modified with *N*,*N*-Dimethylacrylamide: Incorporation of Disperse Dye, 269
Sarrionandia, M.
—; Mondragon, I.; Moschiar, S. M.; Vázquez, A.: Analysis of Kinetic Parameters of an Urethane–Acrylate Resin for Pultrusion Process, 355
Sasai, M. See Mizutani, Y., 1614
Sato, Y. See Sumarno, 2383
Saurina, J. See Suñol, J. J., 1269
Sautereau, H. See Lennon, P., 857
Savina, I. N. See Lozinsky, V. I., 1822
Saxena, V.
—; Shirodkar, V. S.: A Study of Light-Emitting Diodes Constructed with Copolymers Having Cyclohexyl Thiophene and Hexyl Thiophene Units, 1051
Sayed, W. M.
—; Salem, T. A.: Preparation of Polyaniline and Studying Its Electrical Conductivity, 1658
Schadler, L. S. See Petrovicova, E., 1684
Schreiber, H. P. See Xu, R., 1378
Se, K.
—; Ohtomo, R.: Grafting of Oligopeptide on Poly(aminostyrene)s and Characterization of the Polymers, 1558
Sefain, M. Z. See Mansour, O. Y., 1666
Seferis, J. C. See Hillermeier, R. W., 556
Seita, Y. See Mochizuki, A., 517
Selim, K.
—; Özkar, S.; Yilmaz, L.: Thermal Characterization of Glycidyl Azide Polymer (GAP) and GAP-Based Binders for Composite Propellants, 538
Şen, S.
—; Nugay, N.: Uncured and Cured State Properties of Fly Ash Filled Unsaturated Polyester Composites, 1128
Sendijarevic, V. See Peng, S., 374
Senkal, B. F. See Biçak, N., 2749
Senshu, K. See Mochizuki, A., 517
Seoul, C. See Mah, S., 2588
Seppälä, J. V. See Bergström, C. H., 1108
Setnescu, R. See Zaharescu, T., 982
Setnescu, T. See Zaharescu, T., 982
Seyfarth, R. See Sudduth, R. D., 1954
Shaaban, A. F. See Mahmoud, A. A., 390
Shaffie, K. A.
—; Preparation and Characterization of (Polynaphthyl amine) as a Novel Conducting Polymer, 988
Shambaugh, R. L. See De Rovère, A., 1921
Shan, G.-R.
—; Weng, Z.-X.; Huang, Z.-M.; Pan, Z.-R.: Studies on the Microstructure of Vinyl/*N*-Phenylmaleimide Copolymers by NMR and Their Applications, 2581
Shang, X. See Zhang, X., 2641
Shanks, R. A. See Yu, L., 2229
Shao, J. See Yang, Y., 151
Shashikiran, K. See Jagadeesh, K. S., 2097
Shen, D. See Sun, N., 2044
Shen, J. See Guan, J., 2505; Tan, S., 1861, 1869; Zhang, D., 1506
Shen, L. See Zhang, X., 756, 1044
Sheng, S. See Qiu, Z., 2865
Sheu, L.
—; Imen, K.; Allen, S. D.: Real-Time Monitoring of Laser Photochemical Reactions of Polyvinylchloride, 59
Shi, L. See Cheng, S., 2882; Guan, Y., 810
Shim, M. J. See Lu, M. G., 1568
Shimomura, T. See Cagiao, M. E., 636
Shin, T. K.
—; Kim, J.; Choi, H. J.; Jhon, M. S.: Miscibility of Biodegradable Aliphatic Polyester and Poly(vinyl acetate) Blends, 1348
Shirafuji, K. See Yuyama, H., 2237
Shiraishi, N. See Lee, S.-H., 2901, 2908
Shirodkar, V. S. See Saxena, V., 1051
Shunkevich, A. A.
—; Soldatov, V. S.; Popova, O. P.; Kober, K.; Tshmel, A.: IR Spectroscopic Study of Fibers Made of Polypropylene with Grafted Copolymer of Styrene and Divinyl Benzene (note), 3024
Shyichuk, A. V.
—; White, J. R.: Analysis of Chain-Scission and Crosslinking Rates in the Photo-oxidation of Polystyrene, 3015
Siddhamalli, S. K.
—; Kyu, T.: Toughening of Thermoset/Thermoplastic Composites Via Reaction-Induced Phase Separation: Epoxy/Phenoxy Blends, 1257
Silong, S. See Rahman, L., 784
Silva, G. G.
—; Machado, J. C.; Song, M.; Hourston, D. J.: Nanoheterogeneities in PEO/PMMA Blends: A Modulated Differential Scanning Calorimetry Approach, 2034
Simal, A. L.
—; Catelli de Souza, A. M.: Composites Based on Poly(ethylene terephthalate) Fibers with Polyaniline. II. The Effect of the Growth of the Polyaniline Molecules during the Polymerization in the Morphology of the PET Substrate, 2346
—; De Souza, A. M. C.: Composites Based on Poly(ethylene terephthalate) Fibers with Polyaniline. I. Effect of the Aniline Monomer in the Morphology of the PET Substrate, 2126
Simon, G. See Yu, L., 2229
Simon, G. P. See Hsieh, T.-T., 2319; Varley, R. J., 237
Sindt, O.
—; Gauthier, C.; Hamaide, T.; Guyot, A.: Reactive Surfactants in Heterophase Polymerization. XVI. Emulsion Copolymerization of Styrene–Butyl Acrylate–Acrylic Acid in

the Presence of Simple Maleate Reactive Surfactants, 2768
Siripatanasarakit, W. See Chirachanchai, S., 2561
Siuzdak, D. A.
—; Start, P. R.; Mauritz, K. A.: Surlyn®/Silicate Hybrid Materials. I. Polymer *In Situ* Sol–Gel Process and Structure Characterization, 2832
Snowden, P. See Rogers-Gentile, V., 64
Soares, B. G. See Pinho, M. S., 2329
Sobczak, M. See Kuran, W., 2165
Soldatov, V. S. See Shunkevich, A. A., 3024
Song, C. See Qiu, Z., 2865
Song, M. See Silva, G. G., 2034
Song, X. F. See Yin, Y. J., 2929
Song, Y.-H. See Yi, X.-S., 792
Soni, S.
—; Desai, J. D.; Devi, S.: *In situ* Entrapment of α-Chymotrypsin in the Network of Acrylamide and 2-Hydroxyethyl Methacrylate Copolymers, 2996
Sousa, R. A.
—; Kalay, G.; Reis, R. L.; Cunha, A. M.; Bevis, M. J.: Injection Molding of a Starch/EVOH Blend Aimed as an Alternative Biomaterial for Temporary Applications, 1303
Sperling, L. H. See Han, S. J., 1478
Spirkova, M.
—; Matejka, L.; Hlavata, D.; Meissner, B.: Polybutadiene-Based Polyurethanes with Controlled Properties: Preparation and Characterization, 381
Squadrito, G. See Lufrano, F., 1250
Start, P. R. See Siuzdak, D. A., 2832
Strivay, D. See Leroy, D., 1230
Su, A. See Tan, S., 993
Subramanian, R.
—; Huang, Y. H.; Zhu, S.; Hrymak, A. N.; Pelton, R. H.: Electron Spin Resonance Study and Reactive Extrusion of Polyacrylamide and Polydiallyldimethylammonium Chloride, 1154
Subramanian, R. See Thames, S. F., 8
Subrayan, R. P.
—; Zhang, S.; Jones, F. N.; Swarup, V.; Yezrielev, A. I.: Reactions of Phenolic Ester Alcohol with Aliphatic Isocyanates—Trans-carbamoylation of Phenolic to Aliphatic Urethane: A ^{13}C-NMR Study, 2212
Sudduth, R. D.
—; Seyfarth, R.: Characteristics of the Intrinsic Modulus as Applied to Particulate Composites with Both Soft and Hard Particulates Utilizing the Generalized Viscosity/Modulus Equation, 1954
Suh, K. S. See Moon, K. S., 1294
Sukhadia, A. M. See Johnson, M. B., 2845
Sumarno
—; Sato, Y.; Takishima, S.; Masuoka, H.: Production of Polystyrene Microcellular Foam Plastics and a Comparison of Late- and Quick-Heating, 2383
Sun, J. See Zhang, D., 1506
Sun, J.-W. See Huang, J.-T., 363
Sun, N.
—; Yang, J.; Gu, Q.; Shen, D.: Conditions of Homogeneous Deformation of Poly(ethylene terephthalate) Films During Uniaxially Drawing, 2044
Sun, P. See Li, B., 424
Sun, W.-X. See Xu, Y.-Z., 2685
Sun, X.-Q. See Yang, X.-J., 2363
Sun, Z.-H. See Ding, X.-B., 2915
Suñol, J. J.
—; Saurina, J.; Pagès, P.; Carrasco, F.: Study on Polypropylene–Polyethylene-Based Copolymer Solidification, 1269
Suvarna, S. See Jagadeesh, K. S., 2097
Suzuki, K.
—; Yumura, T.; Mizuguchi, M.; Tanaka, Y.; Chen, C.-W.; Akashi, M.: Poly(N-isopropylacrylamide)-Grafted Silica as a Support of Platinum Colloids: Preparation Method, Characterization, and Catalytic Properties in Hydrogenation, 2678
Swarup, V. See Subrayan, R. P., 2212

Tachikawa, K. See Okada, M., 338
Tago, K.
—; Tsuchiya, M.; Gondo, Y.; Ishimaru, K.; Kojima, T.: Thermal Decomposition of Poly(oxytetramethylene) Glycol, 1538
Taha, M. See Jean, M. R., 2711
Taj, S.
—; Sanı arapapavinasam, S.; Ahmed, M. F.: Poly(benzimidazole) and Substituted Poly(benzimidazoles): Novel, Electroactive, and Conducting Polymers Possessing High Catalytic and Coordination Properties, 112
Tajounte, L. See Rjeb, A., 1742
Takagishi, T. See Kono, K., 2703
Takishima, S. See Sumarno, 2383
Tan, S.
—; Li, G.; Shen, J.: Study of Modified Polypropylene Nonwoven Cloth. I. Graft Copolymerization of 4-Vinylpyridine onto Polypropylene Nonwoven Cloth by Preirradiation Method, 1861
—; Li, G.; Shen, J.; Liu, Y.; Zong, M.: Study of Modified Polypropylene Nonwoven Cloth. II. Antibacterial Activity of Modified Polypropylene Nonwoven Cloths, 1869
—; Su, A.; Yang, X.; Zhou, E.: Crystallization and Melting Behavior of Amorphous Poly(iminosebacoyl iminodecamethylene), 993
—; See Zhu, X., 163
Tan, Y.-B. See Zhang, L.-M., 195
Tanaka, Y. See Suzuki, K., 2678
Tang, G.-P.
—; Zhu, K. J.; Chen, Q. Q.: Poly-α,β-(3-Hydroxypropyl)-DL-Aspartamide: A New Drug Carrier, 2411
Tang, J.
—; Dimonie, V. L.; Daniels, E. S.; Klein, A.; El-Aasser, M. S.:

Synthesis and Characterization of Model Carboxylated Latexes for Studies of Film Formation from Latex Blends, 644
—; See Zhang, G., 1989
Tang, L.-G. See Hon, D. N.-S., 2246
Tang, X. See Wang, X., 184
Tanji, H. See Puklin, E., 2795
Taunk, K.
—; Behari, K.: Graft Copolymerization of Acrylic Acid onto Guar Gum, 39
Teo, W. K. See Liu, J., 2785
Thames, S. F.
—; Yu, H.; Subramanian, R.: Cationic Ultraviolet Curable Coatings from Castor Oil, 8
Thomas, S. See Johnson, T., 2365; Varghese, H., 2335
Thominette, F. See Merdas, I., 1439, 1445
Thompson, R. W. See Coote, C. F., 2525
Tiejun, Z. See Dafu, W., 53
Tiu, C. See Hsieh, T.-T., 2319
Tjong, S. C.
—; Li, R. K. Y.; Xie, X. L.: Compatibilizing Effect of Styrene–Maleic Anhydride Copolymer on the Properties of Polyamide-6/Liquid Crystalline Copolyester Composites, 1964
—; Xu, S. A.; Li, R. K. Y.: Work of Fracture of Polystyrene/High Density Polyethylene Blends Compatibilized by Triblock Copolymer, 2074
—; See Xie, X. L., 1975; Xu, S. A., 2024
Torre, L. See Cyras, V. P., 2889
Torres, A. See Barral, L., 2305
Trzeszczyński, J. See Dzięcioł, M., 1894
Tshmel, A. See Shunkevich, A. A., 3024
Tsubokawa, N. See Chen, J., 2437
Tsuchiya, M. See Tago, K., 1538
Tsuji, H.
—; Mizuno, A.; Ikada, Y.: Properties and Morphology of Poly(L-lactide). III. Effects of Initial Crystallinity on Long-Term *In Vitro* Hydrolysis of High Molecular Weight Poly(L-lactide) Film in Phosphate-Buffered Solution, 1452
Tsunoda, K. See Okada, M., 338
Tu, G. See Zhang, Z., 890
Tuncel, A.
—; Electron Microscopic Observation of Uniform Macroporous Particles. II. Effect of DVB Concentration, 2291
—; Tuncel, M.; Salih, B.: Electron Microscopic Observation of Uniform Macroporous Particles I. Effect of Seed Latex Type and Diluent, 2271
Tuncel, M. See Tuncel, A., 2271
Twardowski, T. E. See Petrovicova, E., 1684

Uemiya, S. See Higuchi, A., 529
Uğur, Ş.
—; Pekcan, Ö.: Fluorescence Technique to Study Thickness Effect on Dissolution of Latex Films, 1087
Ureta, E.
—; Cantú, M. E.: Zinc Maleate and Zinc Anthranilate as Thermal Stabilizers for PVC, 2603
Usui, S. See Koizumi, T., 2381

Vaidya, A.
—; Chaudhury, M.: Synthesis of Surface-Active Quaternary Amino Fluorosiloxanes, 1700
Valot, E. See Lennon, P., 857
Varghese, H.
—; Bhagawan, S. S.; Thomas, S.: Effects of Blend Ratio, Crosslinking Systems and Fillers on the Morphology, Curing Behavior, Mechanical Properties, and Failure Mode of Acrylonitrile Butadiene Rubber and Poly(ethylene-*co*-vinyl acetate) Blends, 2335
Varley, R. J.
—; Hodgkin, J. H.; Simon, G. P.: Toughening of Trifunctional Epoxy System. V. Structure–Property Relationships of Neat Resin, 237
Vázquez, A. See Cyras, V. P., 2889; Sarrionandia, M., 355
Velasco, J. I. See Díez-Gutiérrez, S., 1275
Venditti, R. A. See Gilbert, R. D., 418
Vendramini, J.
—; Mele, P.; Merle, G.; Alberola, N. D.: Mechanical Modeling of the Transcrystalline Interphase Behavior in Commingled PBT/Glass Fiber Composites, 2513
Veracini, C. A. See Pazzagli, F., 141
Verdu, J. See Merdas, I., 1439, 1445
Verhoeven, V. See Hakim, M., 602
Vernekar, S. P. See Mhaske, S. B., 627
Viet, T. N. T. See Decker, C., 1902
Villanueva, M. See Núñez, L., 2285
Villegas, S. See Rivas, B. L., 1994
Voigt, W. See Hettrich, K., 2113
Vujosevic, R. See Chowdhury, G., 1137
Vulfson, E. N. See Flores, A., 1841; Pérez, N., 1851

Wagner, G. C. See Wool, R. P., 1643
Wan, C. R. See Wu, Y. P., 1735
Wan, G. See Guan, Y., 810
Wan, G.-X. See Ding, X.-B., 2915
Wan, Q. See Zhou, S.-Q., 733
Wang, D. See Wu, W., 2939
Wang, F. See Chen, Y.-W., 189
Wang, H. See Yu, L., 2404
Wang, J. See Zhang, Z., 890
Wang, J.-Y.
—; Lee, C.-J.: Clarification of Viscous Poly Tetramethylene Ether Glycol (PTMEG) Containing Solid Suspension by Dead-End Flow Microfiltration under Constant Pressure, 2303
Wang, L. See Wang, X., 184
Wang, M. See Chen, H.-Z., 2331
Wang, P. See Wu, W., 2939
Wang, Q. See Huang, J.-T., 363; Limei, 3010
Wang, T. See Zhu, X., 163
Wang, X.
—; Li, H.: Compatibilizing Effect of Diglycidyl Ether of Bisphenol-A in Polymer Blend System: Nylon 6 Combined with Poly(butyl acrylate) Core and Poly(methyl methacrylate) Shell Particles, 24

—; Wang, L.; Li, H.; Tang, X.; Chang, F.-C.: Syntheses of Poly(ethylene oxide) Polyurethane Ionomers, 184
—; See Yang, X.-J., 2363
Wang, Y. See Li, B., 424
Watanabe, N. See Ohe, Y., 2189
Weber, G. See Leroy, D., 1230
Webster, I. See Millan, E. J., 2313
Wei, K.-H. See Lee, C.-L., 2139, 2149
Wen, T.-C.
—; Chen, W.-C.: Blending Thermoplastic Polyurethanes and Poly(ethylene oxide) for Composite Electrolytes Via a Mixture Design Approach, 680
Weng, S.-F. See Xu, Y.-Z., 2685
Weng, Z.-X. See Bao, Y.-Z., 156; Shan, G.-R., 2581
Wesslén, B. See Karlsson, O. J., 297
Whitcombe, M. J. See Flores, A., 1841; Pérez, N., 1851
White, J. R. See Shyichuk, A. V., 3015
Wielgosz, Z. See Kuran, W., 2165
Wilkes, G. L. See Johnson, M. B., 2845; Kaushiva, B. D., 202
Wool, R. P.
—; Raghavan, D.; Wagner, G. C.; Billieux, S.: Biodegradation Dynamics of Polymer-Starch Composites, 1643
Wu, C. See Gao, J., 1165
Wu, J.-G. See Xu, Y.-Z., 2685
Wu, W.
—; Wang, D.; Wang, P.; Zhu, P.; Ye, C.: Thermally Stable Nonlinear Optical Polyimide Functionalized by *N,N*-Diallylamino-Substituted Chromophore, 2939
Wu, X. Y.
—; Lee, P. I.: Preparation and Characterization of Inulin Ester Microspheres as Drug Carriers, 833
Wu, Y. P.
—; Jiang, C. Y.; Wan, C. R.; Fang, S. B.; Jiang, Y. Y.: Nitrogen-Containing Polymeric Carbon as Anode Material for Lithium Ion Secondary Battery, 1735
Wulf, M.
—; Grundke, K.; Kwok, D. Y.; Neumann, A. W.: Influence of Different Alkyl Side Chains on Solid Surface Tension of Polymethacrylates, 2493

Xiao, C.
—; Gao, S.; Zhang, L.: Blend Films from Konjac Glucomannan and Sodium Alginate Solutions and Their Preservative Effect, 617
—; Zhang, Y.; An, S.; Jia, G.: Effects of Phenolic Antioxidants on Ultrahigh Molecular Weight Polyethylene/Decalin Solution, 2877
Xie, H.-Q.
—; Ma, Y.-M.: Change of Conductivity of Polyaniline/(Styrene-Butadiene-Styrene) Triblock Copolymer Composites During Mechanical Deformation, 2156
Xie, X. L.
—; Tjong, S. C.; Li, R. K. Y.: Study on *In Situ* Reinforcing and Toughening of a Semiflexible Thermotropic Copolyesteramide in PBT/PA66 Blends, 1975
—; See Tjong, S. C., 1964
Xu, D.-F. See Xu, Y.-Z., 2685
Xu, G.-X. See Xu, Y.-Z., 2685
Xu, J. See Cheng, S., 2882; Guan, Y., 810; Xu, X., 1709
Xu, P. See Zhou, S.-Q., 733
Xu, R.
—; Schreiber, H. P.; Kobayashi, T.: Aspects of Interactions in Complex Polymer Coating Formulations, 1378
Xu, R. X. See Jian, X. G., 2385
Xu, S. A.
—; Tjong, S. C.: Deformation Mechanisms and Fracture Toughness of Polystyrene/High-Density Polyethylene Blends Compatibilized by Triblock Copolymer, 2024
—; See Tjong, S. C., 2074
Xu, X.
—; Xu, J.; Feng, L.; Chen, W.: Effect of Short Chain-Branching Distribution on Crystallinity and Modulus of Metallocene-Based Ethylene-Butene Copolymers, 1709
—; See Zhang, G., 1989
Xu, Y.-Z.
—; Sun, W.-X.; Li, W.-H.; Hu, X.-B.; Zhou, H.-B.; Weng, S.-F.; Zhang, F.; Zhang, X.-X.; Wu, J.-G.; Xu, D.-F.; Xu, G.-X.: Investigation on the Interaction between Polyamide and Lithium Salts, 2685
Xu, Z. See Cheng, S., 2882
Xue, G. See Yan, F., 135
Xue, Q. See Yu, L., 2404

Yamamoto, K. See Yuyama, H., 2237
Yamashita, M. See Zhang, F., 2278
Yamashita, S. See Mochizuki, A., 517
Yamaura, K.
—; Kumakura, R.: Gel-Spinning of Partially Saponificated Poly(vinyl alcohol), 2872
Yan, D. See Zhu, X., 163
Yan, F.
—; Xue, G.; Zhou, M.: Preparation of Electrically Conducting Polypyrrole in Oil/Water Microemulsion, 135
Yang, B. See Chen, H., 928
Yang, C.-P.
—; Yang, H.-W.; Chen, R.-S.: Syntheses of Regular Copolyamides Using Triphenyl Phosphite and Pyridine, 116
—; See Chen, J.-A., 217
Yang, G. See Zhang, L., 610
Yang, H.-W. See Yang, C.-P., 116
Yang, J. See Sun, N., 2044; Yang, X.-J., 2363
Yang, J. P.
—; Huang, P. C.: Facilitated Transport of Oxygen in Ethyl Cellulose Membranes Containing Cobalt Porphyrins as Oxygen Carriers, 484
Yang, N.
—; Deng, Y.: Paper Sizing Agents from Micelle-Like Aggregates of Polystyrene-Based Cationic Copolymers, 2067
Yang, S. See Yu, L., 2404
Yang, S.-L. See Chen, H.-Z., 2331
Yang, W. See Guan, J., 2569
Yang, W. T. See Deng, J. P., 1513, 1522
Yang, X. See Tan, S., 993

Yang, X.-J.
—; Wang, X.; Chen, D.-Y.; Yang, J.; Lu, L.-D.; Sun, X.-Q.; He, G.-Y.; Chen, J.: Preparation and Characterization of Metal-Containing Aromatic Polyimides, 2363
Yang, Y.
—; Shao, J.: Synthesis of Sulfhydryl Chitin and Its Adsorption Properties for Heavy Metal Ions, 151
Yao, K. D. See Yin, Y. J., 2929
Yarmo, M. A. See Nasef, M. M., 2455
Ye, C. See Wu, W., 2939
Ye, M. See Cheng, S., 2882; Guan, Y., 810
Yeh, P.-L. See Lee, W.-F., 14
Yezrielev, A. I. See Subrayan, R. P., 2212
Yi, M. See Zhang, D., 1506
Yi, X. See Zhang, X., 756, 1044
Yi, X.-S.
—; Song, Y.-H.; Zheng, Q.: A Preliminary Study on Mechanical-Electrical Behavior of Graphite Powder-Filled High-Density Polyethylene Composites, 792
—; Zhang, J.-F.; Zheng, Q.; Pan, Y.: Influence of Irradiation Conditions on the Electrical Behavior of Polyethylene–Carbon Black Conductive Composites, 494
—; See Dafu, W., 53; Liu, Z. Q., 1393
Yildiz, A. See Can, M., 312
Yilmaz, L. See Selim, K., 538
Yin, Y. J.
—; Zhao, F.; Song, X. F.; Yao, K. D.; Lu, W. W.; Leong, J. C.: Preparation and Characterization of Hydroxyapatite/Chitosan–Gelatin Network Composite, 2929
Yoo, S. See Hyun, J., 1679
Yoon, H. G. See Moon, K. S., 1294
Yoon, J.-S.
—; Jung, H.-W.; Kim, M.-N.; Park, E.-S.: Diffusion Coefficient and Equilibrium Solubility of Water Molecules in Biodegradable Polymers, 1716
—; See Jin, H.-J., 547
Yoon, T. H. See Hwang, J. W., 921
Yoon, W. S. See Lyoo, W. S., 123
Yoshioka, M. See Lee, S.-H., 2901, 2908
Yu, H. See Thames, S. F., 8
Yu, L.
—; Simon, G.; Shanks, R. A.; Nobile, M. R.: Crystallization and Compatibilization of Polypropylene-Liquid Crystalline Polyester Blends, 2229
—; Yang, S.; Wang, H.; Xue, Q.: An Investigation of the Friction and Wear Behaviors of Micrometer Copper Particle- and Nanometer Copper Particle-Filled Polyoxymethylene Composites, 2404
Yu, Y. See Qiu, Z., 2865
Yuan, J. See Cheng, S., 2882
Yuan, W.-Y. See Lee, W.-F., 1760
Yuan, X.
—; Peng, Z.; Zhang, Y.; Zhang, Y.: *In Situ* Preparation of Zinc Salts of Unsaturated Carboxylic Acids to Reinforce NBR, 2740
Yumura, T. See Suzuki, K., 2678
Yunus, W. M. Z. W. See Najjar, A. M. K., 2314
Yuyama, H.
—; Yamamoto, K.; Shirafuji, K.; Nagai, M.; Ma, G.-H.; Omi, S.: Preparation of Polyurethaneurea (PUU) Uniform Spheres by SPG Membrane Emulsification Technique, 2237

Zaharescu, T.
—; Setnescu, R.; Jipa, S.; Setnescu, T.: Radiation Processing of Polyolefin Blends. I. Crosslinking of EPDM–PP Blends, 982
Zaid, A. M. A. See Al-Muaikel, N. S., 740
Zaki, M. See Rahman, L., 784
Zamanlu, M. R. See Pourjavadi, A., 1144
Zárate, C. N.
—; Aranguren, M. I.; Reboredoba, M. M.: Resol–Vegetable Fibers Composites, 1832
Zeng, H. See Mai, K., 2974
Zeng, L. See Jian, X. G., 2385
Zerroukhi, A. See Arsac, A., 1316
Zhang, C. See Gilbert, R. D., 418
Zhang, D.
—; Sun, J.; Shen, J.; Yi, M.: Synthesis of a Photo-Crosslinked Stable Nonlinear Optical Polymer and Application to External Electro-Optic Measurement, 1506
—; See Limei, 3010
Zhang, F.
—; Kabeya, H.; Kitagawa, R.; Hirotsu, T.; Yamashita, M.; Otsuki, T.: A Novel Polyethylene–Chlorella Composite. 1. Characterization of Chlorella Biologically Fixing CO_2, 2278
—; See Xu, Y.-Z., 2685
Zhang, G.
—; Xu, X.; Tang, J.; Liu, H.; Ge, X.; Zhang, Z.: Formation of Microporous Polymeric Materials by Microemulsion Radiation Polymerization of Butyl Acrylate, 1989
Zhang, H. See Chen, H., 928; Qiu, Z., 2865
Zhang, J.-F. See Yi, X.-S., 494
Zhang, L.
—; Guo, J.; Zhou, J.; Yang, G.; Du, Y.: Blend Membranes from Carboxymethylated Chitosan/Alginate in Aqueous Solution, 610
—; See Xiao, C., 617
Zhang, L.-M.
—; Tan, Y.-B.; Li, Z.-M.: Multifunctional Characteristics of New Carboxymethylcellulose-Based Graft Copolymers for Oilfield Drilling, 195
Zhang, S. See Subrayan, R. P., 2212
Zhang, W. See Guan, Y., 810
Zhang, W.-C. See Ding, X.-B., 2915
Zhang, X.
—; Pan, Y.; Shen, L.; Yi, X.: Novel Low Melting Point Alloy-Loaded Polymer Composite. II. Resistivity–Temperature Behavior, 756
—; Pan, Y.; Shen, L.; Zheng, Q.; Yi, X.: A Novel Low-Melting-Point Alloy-Loaded Polymer Composite. I. Effect of Processing Temperature on the

Electrical Properties and Morphology, 1044
—; Zhang, Y.; Peng, Z.; Shang, X.; Zhang, Y.: Dynamically Vulcanized Nitrile Rubber/Polyoxymethylene Thermoplastic Elastomers, 2641
Zhang, X.-X. See Xu, Y.-Z., 2685
Zhang, Y. See Hong, X., 1353; Xiao, C., 2877; Yuan, X., 2740; Zhang, X., 2641
Zhang, Z.
—; Duan, X.; Zheng, Y.; Wang, J.; Tu, G.; Hong, S.: *In Situ* ^{1}H- and ^{27}Al-NMR Studies on Metallocene Catalyst Systems—Catalysts for Olefin Polymerization, 890
—; Fang, S.: Ionic Conductivity and Physical Stability Study of Gel Nework Polymer Electrolytes, 2957
Zhang, Z. See Zhang, G., 1989
Zhao, C.
—; Pizzi, A.; Kühn, A.; Garnier, S.: Fast Advancement and Hardening Acceleration of Low Condensation Alkaline Phenol-Formaldehyde Resins by Esters and Copolymerized Urea. II. Esters during Resin Reaction and Effect of Guanidine Salts, 249
Zhao, F. See Yin, Y. J., 2929
Zhao, Y.
—; Li, H.; Liu, P.: Study on Microemulsion Polymerization of *N*-Butyl Maleimide, 805
Zheng, Q. See Yi, X.-S., 494, 792; Zhang, X., 1044
Zheng, Y. See Zhang, Z., 890
Zhong, W. See Ge, J., 2575
Zhou, E. See Tan, S., 993; Zhu, X., 163
Zhou, H.-B. See Xu, Y.-Z., 2685
Zhou, J. See Zhang, L., 610
Zhou, M. See Yan, F., 135
Zhou, S.-Q.
—; Wan, Q.; Liang, D.-H.; Chu, B.; Xu, P.; Lai, J.: Light Scattering Characterization of Poly(tetrafluoroethylene-*co*-perfluoromethyl vinyl ether) Copolymer, 733
Zhu, K. J. See Qiu, L. Y., 2987; Tang, G.-P., 2411
Zhu, P. See Wu, W., 2939
Zhu, P.-K. See Li, J.-S., 943
Zhu, S. See Subramanian, R., 1154
Zhu, X.
—; Yan, D.; Tan, S.; Wang, T.; Yan, D.; Zhou, E.: Further Study on Double-Melting Endotherms of Isotactic Polypropylene, 163
Zin, W. M. See Rahman, L., 784
Zohuriaan-Mehr, M. J. See Pourjavadi, A., 1144
Zong, M. See Tan, S., 1869
Zubov, A. L. See Lozinsky, V. I., 1822

Journal of Applied Polymer Science

Subject Index—Volume 77

Absorbed water, 424
Absorption band, 852
Accelerator polysulfides, 2718
Acetylation, 1322
Acid dyes, 171
Acid–base interaction, 1378
Acryl esters, 1794
Acrylamide, 1331, 1401, 2480, 2595, 2996
Acrylamide-bisacrylamide gel, 463
2-Acrylamido-2-amino-3-hydroxy pyridine, 2552
2-Acrylamido-2-methylpropane-sulfonic acid, 2314
Acrylates, 903
Acrylic acid, 39, 500, 1362, 2480, 2740
Acrylonitrile, 2543
Acrylonitrile butadiene rubber (NBR), 2335
Acrylonitrile–butadiene–styrene (ABS) resin, 2296
Activated swelling method, 2271, 2291
Adhesion strength, 1913
Adhesives, 2313
Adsorbed polymer, 1378
Adsorption, 1994, 2915
Adsorption isotherm, 171
Adsorption property, 151
Aerobic biodegradation, 1643
AFM, 1921
African rosewood (*Pterocarpus Erinaceous*), 746
Aging, 1742, 2340
Air separation, 2396
Air-bag industry, 2104
Alcohol, 2212
Alginate, 610
Alkaline hydrolysis, 3010
Alkaline resins, 249
α-Chymotryspin, 2996
Amidoxime groups, 1994
Amphoteric polymers, 195
Anhydride terminated polycarbonate, 1338
Aniline, 2126
Anisotropy, 1275
Annealing, 2805
Annealing temperature, 636
Anode material, 1735
Antibacterial activity, 740
Antibacterial fibers, 1077
Application, 2581
Applied pressure drop, 2104
Aqueous solutions, 1822
Aromatic copolyamide, 116
Aromatic poly(amide–imide), 217
Aromatic/cycloaliphatic polyimides, 1102
Arrhenius equation, 2957
Artificial aging, 1269
Artificial weathering, 1118
Arylidene polymers, 1218
Atomic force microscopy analysis, 2606
Atom-transfer radical polymerization, 2882
Auto-photosensitive polyimide, 943
Azobenzene pendant groups, 2009

BADGE (n = 0), 2285
Bark, 2575
Base coat, 2824
Beeswax, 1013
Benzoic acid, 2126
Benzophenone, 1513, 1522
Benzoxazine, 2561
Benzyl ester of amino acethydroxamic acid, 2987
BHET, 693
BHPT, 693
Bicontinuous microemulsion polymerization, 1989
Biodegradability, 2575
Biodegradable, 1303
Biodegradable aliphatic polyester, 1348
Biodegradable materials, 232
Biodegradable polymer, 673
Biodegradable polymers, 338, 1716
Biodegradation, 1643
Biomaterial, 1303
Birefringence, 1056
1,4-Bis(4-aminophenoxy)-naphthalene, 217
Bismaleimide, 2939
Bisoxazolines, 2206
Bisphenol A dicyanate, 75
Bis(2-chloroethyl)ether, 2472
Bitumen, 586
Blend, 96, 409, 673, 2034, 2229, 2908
Blend fibers, 3010
Blend film, 617
Blend membrane, 610
Blend, miscibility, 2319
Blends, 586, 617, 636, 826, 880, 921, 1257, 1478, 1591, 1809, 1816, 2335, 2777, 2889
Block copolymers, 1621
Block-alternating copolymer, 116
Blood compatibility, 1558
Bottle crates, 1118
Bovine serum albumin, 2606
Breaking load, 2340
Broad molecular weight distribution, 437
Butyl acrylate, 602

Calcined clays, 1029
Calcium bridge, 610
Calorimetric reactor, 297
Carbon, 1735
Carbon black, 53, 1067, 1294, 2437
Carbon black loaded butyl rubber, 1067
Carbon dioxide diffusion, 2391
Carbon dioxide sorption, 2391
Carbon fiber, 2082
Carbonates, 841, 1284
Carboxylated latex particles, 644
Carboxymethylated chitosan, 610
Cardanol, 627
Casein, 2543
Castor oil, 8
Catalysis, 2678
Catalyst, 64
Catalytic pyrolysis, 2464
Cation exchange membrane, 1877
Cation exchange membranes, 2455
Cationic copolymers, 2067
Cationic ring-opening polymerization, 810
Cationic UV curing, 1353
Cationized cotton, 171
Cellulose, 1629
Cellulose acetate butyrate, 2908
Cellulose fibers, 418, 746, 752
Cellulosic copolymer, 195

Cementitious material, 934
Ceric ammonium nitrate, 2480
Chain extender, 2206
Chain scission, 1950
Chain-scission, 3015
Chain-transfer agent, 1353
Characterization, 30, 135, 967, 2278, 2363, 2832, 2882
Characterization of polymers, 398
Chelating polymer, 2749
Chelating polymer granules, 1405
Chelating resin, 1994
Chelating resins, 967
Chelation, 2246
Chemical analysis, 1629
Chemoviscosity modeling, 2178
Chitosan, 797, 1782, 2314
Chitosan derivatives, 2246
Chitosan/gelatin network, 2929
Chlorella, 2278
Chlorinated aromatic polyamides, 1387
Cholesterol, 1841
Cholesteryl oleyl carbonate liquid crystal, 2396
Chromatographic packing, 2271
Clarification, 2303
^{13}C-NMR, 2113, 2212
Co-60 irradiation, 2525
Coalescence, 1338
$CoAlPO_4$-5, 89
Coatings, 8, 1666
Cobalt porphyrins, 484
Cocondensation resin, 2901
Commingled polybutylene terephthalate/UD glass fiber composites, 2513
Compatibility, 96, 880
Compatibilization, 24, 1338, 1964
Compatibilizer, 2049, 2229
Complex, 2588
Composite, 756, 934, 2156, 2278, 2929, 2974
Composite electrolyte, 680
Composite matrix modification, 75
Composite membrane, 2396
Composite membranes, 1782
Composite microstructure, 1684
Composite propellant, 538
Composites, 556, 1322, 1643, 1658, 2149, 2329, 2346
Compressive strength, 467
Concentration polarization ζ potential, 2606
Concurrent crystallization, 226
Condensation reaction, 898
Conducting composite, 2437
Conducting polymers, 312, 988
Conductive polymers, 2346
Conductivity, 112, 135, 680, 2156, 2948
Confocal Raman spectroscopy, 1465
Conjugated polyenes, 59
Conjugated polymers, 1218
Contact angle, 2493
Continuous curing, 2448
Controlled properties, 381
Conventional emulsion copolymerization, 398
Conversion, 2448
Conveyor belt, 2448
Coordination, 112
Copolycondensation, 693
Copolyesters, 949
Copolymer, 2581
Copolymerization, 39, 2996
Copolymerization of styrene and divinylbenzene, 1614
Copolymers, 2996
Core–shell, 297
Core–shell impact modifier, 24
Core-shell particles, 1851
Corn bran, 2901
Cotton fabrics, 489
Cotton fibers, 1832
Coupling agent, 934
Coupling reaction, 1558
Covalent bonding, 2000
c-Parameter, 2561
Creep, 45
Creep-fatigue, 260
Crosslink structures, 489
Crosslinked poly(acrylic acid), 2621
Crosslinked poly(*N*-vinylpyrrolidone), 475
Crosslinked styrene–acrylate copolymer, 914
Crosslinking, 390, 494, 797, 903, 1679, 1902, 2657, 2996, 3015
Crosslinking agents, 509
Crosslinking density, 323
Cross-linking level, 1488
Crosslinking reaction, 2430
Cryogels, 1822
Cryostructuration, 1822
Crystal orientation, 1195
Crystalline orientation, 1182
Crystalline phase, 568
Crystalline relaxation, 1182, 1195
Crystalline structure, 494, 1614
Crystallinity, 226, 636, 852, 1452, 2908
Crystallites, 2418
Crystallization, 163, 993, 2044, 2229, 2865
Crystallization behavior, 2974
Cure acceleration, 841, 1284
Cure kinetics, 1419
Curing, 2088
Curing agent, 1488
Curing kinetics, 2097
Curing systems, 2057
Cyanate ester, 556, 921
Cyanate-functional acrylic copolymer, 75
Cyclic olefin copolymers, 1108
Cyclodextrin, 2118
Cycloolefin copolymers, 2921

Decay, 1322
Decomposition, 1629, 2877
Decomposition mechanism, 1538
Deformation, 660
Deformation-induced plasticization, 2319
Deformation mechanism, 2024
Degradation, 312, 556, 1452, 2464, 2889
Degree of grafting, 1558
Degree of modification, 368
Degree of swelling, 1171
Dental monomers, 1802
Desamination, 2646
Design of experiments, 1303
DETA, 816
Diallyl phthalate, 156
1,4:3-6,Dianhydro-D-glucitol, 338
4,4′-Dicarboxydiphenylsulfone, 875
Dicarboxylic acid dimethacrylates, 1802
Dicumyl peroxide, 2968
Dielectric constant, 1294
Dielectric relaxation, 1568
Dielectrics, 1294
1,6-Dienes, 509
Diethanolamine, 202
Different monomers, 711
Differential scanning calorimetry, 1, 586, 826, 1056
Differential scanning calorimetry (DSC), 1269
Diffusion, 529, 1439, 2285, 2391
Diffusion coefficient, 1716
Diffusivity, 89
Difunctional alkene monomers, 509
4,4′-Dihydroxydiphenylsulfone, 875
Dilatometry, 2024
Direct polycondensation, 116, 217
Direct pyrolysis–gas chromatography/mass spectroscopy, 719
Dispersion, 1044
Dispersion polymerization, 2271, 2291

Dissociation constants, 2552
Divinylbenzene, 2271
Divinyl benzene (DVB), 3024
DMA, 2285
DMTA, 816
Domain and segmental orientation, 699
Double-melting endotherms, 163
Drawing, gel-spinning, 2872
Drug carrier, 833
Drug polymer carrier, 2411
Drug release, 1760
Drug-controlled release, 2987
Drug-sustained release, 2411
Dry processing, 2189
Dry-cast process, 776
DSC, 2139, 2285, 2865
Dye, 746, 752
Dyeability, 1357
Dyestuff, 746, 752
Dynamic adsorption behaviors, 2409
Dynamic crosslinking, 2057
Dynamic mechanical analysis, 1, 826
Dynamic mechanical thermal analysis, 586
Dynamic moduli, 1369
Dynamic viscoelastic properties, 1614
Dynamic vulcanization, 2641
Dynamic-mechanical analysis, 2305
Dynamics of the cryotropic gel formation, 2017

E. coli, antibacterial activity, 1869
Easy hydrolytic degradation polyester (EHDPET), 3010
Effective elongational viscosity, 1369
Effects of the chemical structure, 2978
Elastomer, 2472
Elastomer particulate, 409
Elastomeric sealant, 1177
Electrical conductivity, 500, 1658
Electrical property, 1044
Electrical resistance, 2082
Electric-conductive, 2588
Electroactivity, 112
Electrocatalysis, 112
Electroconducting composites, 2329
Electroluminescence, 1051
Electrolyte, 184
Electron beam, 2118
Electron beam irradiation, 494
Electron microscopy, 2271
Electron spin resonance, 1154
Electron-beam-initiated grafting, 323
Electropolymerization, 112, 312, 1230
Elongation, 2082
Elongation at break, 2335
Elongational viscosity, 2381
Emulsion, 2237
Emulsion copolymerization, 2768
Emulsion polymerization, 1851, 2419
End-capped polyimides, 627
Energetic binder, 538
Engineered woodfiber/plastic, 260
Entropy of orientation, 1369
Environmental exposure, 1322
Environmental stress crack resistance (ESCR), 283
Enzyme, 2996
Enzyme immobilization, 2000
Enzyme reactor, 2000
EPDM blends, 2777
Episulfide groups, 1077
Epoxides, 8
Epoxidized NR (ENR), 2365
Epoxidized rubber seed oil, 1413
Epoxy, 857, 1886, 2139, 2149
Epoxy composite, 1294
Epoxy network, 1568
Epoxy resin, 237, 1419, 2305
Epoxy resins, 2486
Epoxy–amine acrylate, 2711
Epoxy-amine reactions, 2285
Epoxy/amine resin systems, 2178
Epoxy–amine systems, 2401
Epoxy/phenoxy blends, 1257
ESCA, 517
Essential oil, 1629
Essential work, 2024, 2074
Esters, 249
Ethylene, 1574
Ethylene propylene diene monomer (EPDM), 323
Ethylene vinyl acetate, 2088
Ethylene-α-olefin copolymer, 928
Ethylene–butene copolymers, 1709
2-Ethyl methacrylate phosphoric acid, 1357
Ethylene–propylene terpolymer, 982
Ethylene–propylene–diene terpolymer (EPDM), 2296
Exchange capacity, 171
Extent of removal, 1869
Extruder, 1614
F934, 1419
Facilitated transport, 484
Fastness assessment, 752
FIB, 2805, 2824
Fiber reinforced plastic, 1794
Fibers, 64, 418, 746, 752, 1077, 3024
Filler, 2285
Film, 1331
Film surface, 1513, 1522
Films, 1087
Filter, 2118
Filtration control, 195
Fine structure, 2254, 2267
Fire retardancy, 390
Flame retardants, 2631
Flexibilizer, 1353
Flexible chains, 1353
Fluorinated polyimides, 2172
Fluorinated side groups, 2756
Fluoro, 1700
Fluoroacrylic polymer FIB, 2795
Fluorosiloxanes, 1700
Fly ash, 1128
Foam, 202
Formaldehyde, 2667, 2901
Fouling, 1600
Fouling studies, 2606
Fractography, 2305
Fracture, 2370
Fracture energy, 2370
Fracture energy for delamination, 75
Fracture toughness, 2024, 2074
Fraunhofer principle, 1165
Free radical, 784
Free radical gelation, 463
Free radical initiated grafting, 2543
Free radicals, 2525
Free volume, 1393, 2319, 2472
Free-volume, 428
Freeze–thaw-induced gelations, 1822
Freeze-thaw-induced gelation, 2017
Friction and wear behaviors, 2404
FTIR, 2685
Fuel cell, 1250
Fullerene, 529
Functional polymer, 2569
Functional polymers, 2749

γ Irradiation, 955
Gamma irradiation, 2525
Gamma radiation-induced graft copolymerization, 1003
γ Rays, 475
Gas membrane separation, 2385

Gas membranes, 2385
Gas permeability, 2104, 2756
Gas permeability membranes, 627
Gas permeation, 529
Gas sensor, 2437
Gas separation, 1137
Gas velocity, 2104
GC, 898
Gel content, 156
Gels, 2957
Glass transition temperature, 826, 875, 1445, 1954, 2296
Glassy polymers, 2319
Glutaraldehyde, 797
Glycidyl azide polymer, 538
Glycidyl ether, 8
Glycine ethyl ester, 2987
Glycolysis, 2646
GMA, preirradiation, 2118
GPC molecular weight distributions, 3015
Graft, 39
Graft copolymerization, 1003, 1077, 1331, 1861, 2314
Graft copolymers, 1558
Graft fraction, 784
Graft polymerization, 711, 1357, 2296, 2678
Grafting, 1003, 2569
Grafting copolymerization, 2505
Grafting rate, 928
Guanidine salts, 249
Guar gum, 39
Guth and Gold relation, 1067

Hardness, 1171
Haze, 2845
HDPE, 1118
HDPE composite, 2595
HDPE/GP composites, 792
Heat of mixing, 880
Heat of vulcanization, 2448
Heat stable, 2189
Heavy metal ions, 151
Heterophase polymerization, 2768
Hexadecane, 1013
Hexadecanol, 1013
High abrasion furnace (HAF) black, 1816
High char yield, 1387
High diffraction efficiency, 2189
High modulus, 2872
High molecular weight polycarbonates, 2165
High strength, 2872
High-density polyethylene, 53
High-density polyethylene (HDPE), 1182
High-performance fibers, 1938
High-speed melt spinning, 1195
High-speed spinning, 1182
Hindered phenol antioxidant, 2968
Homopolymer, 784
Homopolymers, 636
Host-guest compound, 2561
HVOF, 1684
Hybrid, 2201
Hybrid polymer networks, 2711
Hydrogel, 955, 1037, 1769
Hydrogel P(Am–NaA), 424
Hydrogels, 1760, 2480
Hydrogen bonding, 577
Hydrogen bonds, 617, 2685
Hydrolysis, 1452
Hydrophilic, 1679
Hydrophilic polyols, 2313
Hydrophilicity, 1600, 2505
Hydroxamic acid pendants, 475
Hydroxyapatite, 2929
2-Hydroxethyl methacrylate, 2996
2-Hydroxy methacrylate, 1769
Hydroxyl terminated polycarbonate, 1338
Hydroxylation of cyclo-octane, 104
Hydroxy-terminated ethylene–butylene diol copolymer, 1362
Hyperbranched polyol, 1353
Hyperbranched polyols, 1207
Hyperelastic solids, 660

Impact test, 2486
Impact-resistance, 1108
In situ entrapment, 2996
In situ ^{1}H- and ^{27}Al-NMR, 890
In situ hydrolysis, 890
In situ preparation, 2740
Indanylnorbornene, 1108
Indian silk fibers, 2418
Infrared dichroism, 699
Infrared (IR) spectroscopy, 852, 1742
Infrared spectroscopy, 764
Inherent viscosity, 3003
Initiated grafting, 475
Injection molding, 1303
Injection-molded discs, 1275
Inorganic pigments, 2815
Interaction, 1600
Interface, 934, 2049
Interlaminar fracture toughness, 556
Interphase, 45, 2034
Intraparticle diffusion process, 2409
Intrinsic modulus, 1954
Intrinsic viscosity, 880
Inulin ester, 833
Inverse gas chromatography, 1378
Inverse suspension polymerization, 1749, 2621
Ion beam, 1679
Ion-exchange, 2749
Ion-exchange capacity, 1250
Ionic conductivity, 2957
Ionomer, 816
Ionophore, 2561
IPA/TPA(50/50)-BPA polyester, 875
IR, 500
Irradiation, 323
Irreversible deformation, 1545
Isobaric crystallization from SS, 1478
Isocyanate, 2212
Isotactic polypropylene, 163

Jute fiber (*Corchorus olitorious*), 852

Khaya seed oil, 1432
Kinetics, 355, 374, 857, 2139, 2401, 2865, 2889
Konjac glucomannan, 617

Laminate composites, 75
Large uniform particles, 2291
Laser irradiation, 59
Late-heating, 2383
Latex films, 866
Latex films, thicknesses, 1087
Latex paint, 1029
Lavandin, 1629
Level of crystallinity, 1591
Ligament length, 2074
Light exposure, 1118
Light resistance, weatherability, 2296
Light scattering, 733, 776
Light-emitting diode, 1051
Liquefaction, 2901
Liquid crystalline, 1387, 1568
Liquid crystalline copolyester, 1964
Liquid crystalline copolyesters, 141
Liquid crystalline polymer, 2229
Liquid crystalline polyurethane elastomers, 577
Liquid crystallization induced reactions, 141
Lithium ion secondary battery, 1735
Lithium salt, 2685
Living/controlled radical polymerization, 1607

LLDPE (linear low-density polyethylene), 1195
Logarithmic strain measure, 660
Long spacing, 636
Loofah fibers, 1077
Low molecular weight diluents, 2319
Low optical loss, 2172
Lower critical solution temperature, 2703
Low-level radioactivity liquid waste treatment, 1230
Low-melting-point alloy, 756, 1044
Luminescence, 2795, 2805, 2815, 2824
Lyocell solution, 1369

Macromonomer, 810
Macromonomer crosslinker, 1362
Macroporous beads, 2291
Magnetic, 2915
Magnetic particles, 1851
Maleate reactive surfactants, 2768
Maleated SEBS, 816
Maleic acid anhydride, 368
Maleic anhydride, 2963
Manganese dioxide, 1177
Manganese porphyrin, 104
Mass transport process, 2409
Master curve, 1465
Material and process variables, 2149
Material parameters, 660
Mathematical model, 1574
Mathematical modeling, 2448
Mechanical deformation, 2156
Mechanical modeling, 2513
Mechanical properties, 547, 857, 928, 1348, 1393, 1614, 2149, 2305, 2711, 2974, 2978
Mechanical property, 1532, 1568, 2908
Mechanical–electrical behavior, 792
Mechanism of grafting, 711
Melt free-radical grafting, 2968
Melt spinning, 418, 2254, 2267
Melting, 993
Membrane, 89, 517, 529
Membranes, 2365, 2385, 2606, 2756
Metal chloride, 2464
Metal complexes, 475
Metal ion concentration, 1096
Metal ion uptake, 967
Metal ions, 1994
Metal recovery, 955
Metal-containing aromatic polyimides, 2363
Metallocene, 437
Metallocene catalyst, 890, 1195
Metallocene catalysts, 1108
Metallocene/MAO catalyst, 2921
Methacrylic acid, 2740
Methyl acrylate, 784
Methyl methacrylate, 602
Methyl palmitate, 1013
Methylalumoxane (MAO), 890
Micelle-like aggregates, 2067
Microalga, 2278
Microcapsule, 2703
Microcellular, 2383
Microemulsion copolymerization, 398, 2785
Microemulsion polymerization, 135, 805, 1240
Microfiltration, 2303
Microhardness, 636
Microlayers, 1545
Micromechanical properties, 636
Microporous polymer, 1989
Micro-Raman spectroscopy, 283
Microspheres, 833
Microstructure, 141, 636, 2370
Microwave oven, 3003
Microwave-assisted rapid polycondensation, 3003
Miscibility, 610, 617, 857, 880, 1348, 1809, 2978
Mixture design, 680
Modeling, 355, 1938
Modelling, 1419
Modification, 368
Modified copolyether sulfones, 2009
Modulated differential scanning calorimetry, 2034
Moisture regain, 1357
Molecular assembly, 2561
Molecular imprinting, 1841, 1851
Molecular orientation, 283
Molecular weight, 733, 1393, 2381
Molecular weight control, 810
Molecular weight distribution, 733
Molecular weights, 866
Molten salts, 2113
Monoamines, 627
Monodisperse beads, 2271
Monodisperse latex particles, 644
Monodisperse particles, 2291
Monofilaments, 636
Monomer concentration, 1357
Monomer sequence, 875
Monomer vapor pressure, 297
Monomers, 2329
Monovinyl ester of ethylene, 711
Montmorillonite, 2201, 2948
Morphology, 928, 993, 1013, 1044, 1478, 1532, 1989, 2088, 2126, 2229, 2346
Multifunctional epoxy resins, 2097
Multilayer composite membrane, 2396
Multiobjective optimization, 437
Multiplets and clusters, 816

Nanocomposite, 2832
Nanocomposites, 2948
Nanofiltration, 1782
Nanofiltration membranes, 2785
Nanometer filler, 2404
Nanoparticles, 1851
Natural fibers, 1322
Natural rubber, 1413
Natural rubber (NR), 2365
Na-type zeolite, 1171
N-butyl maleimide, 805
Near infrared spectroscopy, 453
Nematic liquid crystal behavior, 577
Network formation, 2178
Network polymer electrolytes, 2957
Network structure, 237
Networks, 1886
Newtonian polymer fluid, 2303
NIRS, 453
N-isopropylacrylamide, 14, 1769
Nitrile rubber, 2057
Nitrile rubber (NBR), 2641
Nitrogen-containing polymeric carbon, 1735
NMR, 1108, 2581
4-(*N*,*N*-diallylamino)pyridine, 363
N,*N*-dimethylacrylamide, photoacustic spectroscopy, disperse dye, 269
4-(*N*,*N*-Dimethylamino)pyridine, 363
N,*N*′-dipentamethylenethiuram disulfide, 2732
N,*N*′-pentamethylenethiuram disulfide, 2718
N,*N*′-pentamethylenethiuram hexasulfide, 2718
N,*N*-diallylamino chromophore, 2939
Nonaqueous, 1782
Nonflammability, 719
Nonfouling index, 1600
Nonisothermal, 2865
Nonisothermal crystallization, 1269
Nonlinear optical polymer, 1506
Nonwoven, 2118

5-Norbornene-2,2-dimethanol, 30
No-reactive blending, 232
Novel conducting polymers, 988
Novolac resin, 2963
n-Paraffinic side branches, 547
N-phenylmaleimide, 2581
Nucleation, 2383
Nucleation and growth, 776
Nylon, 2685
Nylon 6, 24, 636, 1357
Nylon 66, 636

Oil absorption, 903, 1914
Oilfield drilling, 195
Oil-in-water microemulsion, 805
Oil-resistant thermoplastic elastomer, 2641
Oleochemical polyol, 467
Oligobenzoxazine, 2561
O,N-carboxymethyl chitosan, 2246
Operating parameter, 2396
Optical haze properties, 2845
Optical telecommunication, 2172
Optical waveguide, 2172
Optically active polymers, 3003
Optimum concentration, 123
Organic–inorganic hybrid, 797
Organotin copolymers, 740
Organotin monomers, 740
Orientation, 2044
Oriented thin film, 2331
Orthophosphoric acid (OPA), 390
Oxiranes, 2667
Oxygen carriers, 484
Oxygen enrichment, 2396
Oxygen quenching, 2795

PA1010, 928, 993
Paint industry, 1029
Paper coating, 1666
Paper sizing agents, 2067
p-Aramide fibers, 2340
Partial saponification, 2872
Partially aromatic polyamide, 1144
Particle, 453, 2915
Particle morphology, 297
Particle size distributions, 1165
Particle viscosity, 297
Particles, sizing, 1165
Particulate composites, 1954
PDMS composite, 1171
PDP-Ag(I), 39
PE membrane, 500
PEKEKK, 2865
PEO, 1
Percentage of grafting, 1861
Percolation theory, 2513
Perfluoroelastomer, 733
Periodic control, 437
Permeation, 2472
Permeation flux, 2691
Permittivity, 1816
Peroxide, 2657
Peroxide vulcanizing systems, 1816
Pervaporation, 2365, 2691
Pervaporation selectivity, 2691
PET fibers, 2126, 2346
PF resin, 841, 1284
PFA films, 2455
PGSE NMR, 424
Phantom materials, 1294
Phase inversion, 517
Phase separation, 776, 880, 921, 1013, 1257, 1465
PHBV/starch blends, 232
pHEMA membrane, 2000
Phenol, 2901
Phenol formaldehyde resin, 249
Phenol-formaldehyde resoles, 898
Phenolic, 2212
Phenolic antioxidants, 2877
Phenoxy, 2978
Phenylnorbornene, 1108
Phosphate-modified thiodiphenol-containing epoxy copolymer, 719
Phosphazene polymers, 568
Phosphorylated cashewnut shell liquid prepolymer, 2631
Photochemistry, 1902
Photoconductivity, 2331
Photo-crosslinking, 1506
Photodegradation, 3015
Photografting polymerization, 1513, 1522
Photoinitiation, 2588
Photon-transmission method, 866
Photopolymerization, 1802
Photorefractive effect, 189
Photosensitive polymers, 2009
pH-sensitive biodegradation, 2987
Phthalocyanine polymer, 2331
Physical properties, 577, 2254, 2267
Physico-mechanical properties, 1413
Plasma, 1679
Plasticization, 1445
Plasticizer, 538
Plasticizing effect, 2126
Plastics, 260
Plastics recycling, 1118
Plastics thermal degradation, 1894
Plastisol, 1794
Platinum colloids, 2678
Platinum porphyrin, 2795
Platinum tetra(pentafluorophenyl)-porphine (PtTFPP), 2805, 2824
P-LCl, 1387
P(*l*LA-*co*-εCL), 226
P-LRCl, 1387
Poling/curing process, 2939
Polyacrylamide, 1154
Polyacrylamide gels, 463
Polyacrylic rubber, 2088
Poly(acrylonitrile), 1782
Polyacrylonitrile, 2113
Poly-α,β-(3-hydroxypropyl)-DL-aspartamide, 2411
Polyamide, 857, 2057
Polyamide 66, 1975
Polyamide-6, 1964
Polyamide-imide, 1102
Poly(aminostyrene)s-*graft*-oligopeptides, 1558
Polyaniline, 1658, 2156, 2346, 2948
Polyaniline base, 1658
Polyaniline salt, 1658
Polyanion doping agent, 1230
Polyazomethines, 1218
Poly(benzimidazoles), 112
Polybutadiene, 1902
Polybutadiene diluents, 2319
Polybutadienes, 381
Poly(butyl acrylate), 1886
Poly(butylene succinate), 547
Poly(butylene terephthalate), 1975
Poly(butylene terephthalate-*p*-oxybenzoate), 949
Polycaprolactone, 226
Polycarbonate, 1338, 1393, 1545
Polycarbonate (PC), 89
Polychelates, 967
Polycondensation, 693, 943
Polycyanurate, 75
Polydiallyldimethylammonium chloride, 1154
Polyelectrolyte complex, 2703
Poly(ester urethane), 2505
Polyestercarbonate, 2908
Poly(ester-imide)s, 3003
Polyesters, 1207
Polyetherimide, 1439, 1445
Polyetherols, 2667
Polyether-segmented nylon, 517
Polyethylene, 283, 1331, 2024, 2074, 2254, 2267, 2278, 2370, 2631, 2968
Poly(ethylene adipate), 547
Polyethylene blown and cast films, 2845
Poly(ethylene-*co*-vinyl acetate) (EVA), 2335
Polyethylene films, 1401

Poly(ethylene glycol) (PEG), 2049
Poly(ethylene oxide), 184, 2034
Poly(ethylene oxide) macrmonomer, 2785
Poly(ethylene terephtalate), 269
Poly(ethylene terephthalate), 764, 1056, 2044, 2254, 2267
Poly(ethylene terephthalate) (PET), 2206
Poly(ethylene terephthalate) (PET) films, 1003
Poly(ethylene terephthalate) thermal degradation, 1894
Polyethylene–starch (PE–S) composites, 1643
Poly(ethylene-*block*-ethylene oxide), 2437
Poly(ethylene-propylene-diene monomer) EPDM, 1816
Polyhydroxyalkanoates, 2889
Poly(hydroxybutyrate-*co*-hydroxyvalerate), 673
Polyimide membranes, 2756
Polyimides, 1102
Poly(lactic acid), 1452
Polylactide, 1452
Poly(*l*-lactic acid), 226
Polymer, 764
Polymer blending, 680
Polymer concrete, 45
Polymer hybrid system, 2588
Polymer matrix, 2815
Polymer membrane, 1096
Polymer nanocomposite, 1684
Polymer network, 1532
Polymer particles, 2237
Polymer with triethylene triamine tetra acetic acid functions, 2749
Polymer-bound antioxidant, 2968
Polymer–filler interaction, 2335
Polymeric composite, 189
Polymeric membranes, 484
Polymeric modifying, 189
Polymerizable emulsifier, 1989
Polymerization, 453, 1574, 2113
Polymerization kinetics, 805
Polymer-supported catalyst, 104
Polymethacrylates, 2493
Poly(methacrylates), 2978
Poly(methyl methacrylate), 2034
Poly(methyl methacrylate-methacrylic acid) copolymer, 1096
Poly(methylmethacrylate), 1545
Polynaphthyl amine, 988
Poly(*n*-butyl methyacrylate-co-*n*-butyl acrylate), 644
Poly(N-isopropylacrylamide), 2678
Poly(*N*-isopropylacrylamide), 2703
Poly(*N*-vinyl 2-pyrrolidone-*g*-citric acid), 1037
Polyol, 2646
Poly(OVE-*co*-NPM), 1809
Poly(oxyethylene), 368
Polyoxymethylene, 2404
Polyoxymethylene (POM), 2641
Poly(oxypropylene), 1532
Poly(oxytetramethylene) glycol, 1538
Polyphenylene oxide (PPO), 1137
Polyphosphazene, 2987
Polypropylene, 96, 409, 982, 1275, 1614, 1742, 2118, 2229, 2370, 2974
Polypropylene composite, 1614
Polypropylene nonwoven cloth, 1861, 1869
Poly(propylene oxide), 1886
Polypropylene (PP), 3010
Polypropylene (PP) fibers, 3024
Polypropylene–polyethylene-based copolymers, 1269
Polypropylene/rubber blends, 1488
Polypyrrole, 135, 1230
Polysiloxaneimide, 943
Polysiloxaneimide membrane, 2691
Polystyrene, 644, 1338, 2024, 2067, 2074, 2201, 2271, 2291, 2383, 3015
Polystyrene (PS) particles, 866
Polystyrene sulfonamides, 2749
Poly(styrene-*co*-acrylonitrile), 673
Poly(styrene-co-acrylonitrile), 1545
Poly(styrene-*co*-acrylonitrile) (SAN), 1809
Polysulfide polymer, 1177
Polysulfone, 921, 2396
Poly tetramethylene ether glycol, 2303
Polythiophene, 312
Polyurethane, 202, 680
Polyurethane acrylate (PUA), 2711
Polyurethane foams, 2575
Polyurethane ionomer, 184
Poly(urethane–isocyanurate), 374
Polyurethanes, 381, 1723
Polyurethaneurea, 2237
Poly(vinyl acetate), 1348
Poly(vinyl alcohol), 2872
Poly(vinyl alcohol) cryogels, 1822
Poly(vinyl alcohol) (PVA), 2017
Poly(vinyl chloride), 1794, 2569
Poly(vinyl chloride) and poly(vinyl pyrrolidone) blend, 2606
Poly(vinyl chloride) (PVC), 1809
Polyvinylchloride (PVC) films, 59
Poly(3-alkylthiophene), 1051
Poly(3-methylthiophene), 312
Porous particles, 2271, 2291
Positive charges, 1077
Positive pressure coefficient effect of resistance, 792
Positive temperature coefficient, 756
Positive temperature coefficient resistance, 53
Positron, 2319
Post-consumer soft-drink bottles, 2206
PP fibers, 1921
P-RCl, 1387
Preconcentration, 1096
Predictive theory, 428
Preirradiation method, 1861
Preparation, 2363
Preparation and characterization, 833
Prepolymer, 2939
Prepolymer mixture, 489
Preservative film, 617
Pressure sensitive paint (PSP), 2795
Pressure-sensitive adhesive, 826
Pressure-sensitive adhesives, 2313
Pressure-sensitive paint (PSP), 2805, 2815, 2824
Process control, 453
Process monitoring, 374
Processability, 1413
Processing temperature, 1044
Property, 202
Propylene-*g*-maleic anhydride, 2777
Protein, 1600, 2915
Proton conductivity, 1250
PS-*b*-PEO-*b*-PS triblock copolymer, 2882
PSF, 347
PTC and NTC, 494
PTFE, 1913
Pultrusion, 355
Purine ring, 2667
PVA/SA composite, 347
PVC, 1432, 2464
PVC degradation, 2603
PVDF, 2381
Pyridinium group, 1869
Pyrolysis, 2464
Pyrolysis gas chromatography–mass spectrometry, 1538

Quantitative morphological analysis, 2513
Quaternary, 1700
Quick-heating, 2383

Radiation, 1331
Radiation crosslinking, 982
Radiation grafting, 711
Radiation induced grafting, 500
Radiation-induced graft copolymerization, 1401, 1877, 2455
Radiation-induced homopolymerization, 1405
Raman scattering of PPO membrane, 2558
Random styrene-maleic anhydride copolymer, 1964
Rapid expansion of supercritical solution, 1478
Rate of graft polymerization, 784
Reaction time, 1357
Reactive blending, 232
Reactive blends, 1338
Reactive extrusion, 1154
Reactive peroxy radicals, 2525
Reactive surfactants, 2768
Reactivity ratios, 398, 602
Reactor, 1574
Reactor design, 2921
Recording material, 2189
Recycling, 2206
Redox initiation system, 1240
Reflective index, 2172
Reinforcement, 2740
Relaxation, 2044
Removal of catalysts, 2882
Reprocessing, 1393
Resin synthesis, 898
Resin transfer molding (RTM), 2139
Resin-transfer molding (RTM), 2149
Resol composites, 1832
Restabilization, 1118
Retrofitting, 437
Reverse ATRP, 1607
Rheological and thermal properties, 2430
Rheological behavior, 1316
Rheological control, 195
Rheological properties, 1348, 1488
Rheology of polymer, 2303
Rigid polyurethane foam, 467, 2646
RTM6, 1419
Rubber, 586, 934, 1067
Rubber seed oil, 1413
Rubbery plateau modulus, 1316

SAN copolymers, 1316
SAXS, 699
Scanning electron microscopy analysis, 2606
Scanning electron microscopy (SEM), 1165
Scanning electronic microscope/ energy dispersive X-ray, 719
SCORIM, 1303
S-EB-S polymers, 1621
Second-order nonlinearity, 2939
Seeded emulsion polymerization, 297
Segmented block copolymer, 699
Self-diffusion, 424
SEM, 517
Semiconductive polymers, 1218
Semicontinuous emulsion polymerization, 644
Semiflexible liquid crystalline polymer, 1975
Sensing layer, 2824
Sequence distribution, 949
Shale inhibition, 195
Shear viscosity, 1369, 2381
Sheet molding compound, 1794
SHG signal, 2939
Shirasu porous glass (SPG) membrane, 2237
Short-chain branching distribution (SCBD), 1709
Shrinkability, 2088
Side-chain polymer, 189
Silane-grafted polypropylene, 2974
Silane-treated talc-filled polypropylene composites, 1275
Silica, 2678
Silicate, 2832
Simultaneous irradiation, 1003
Sisal fibers, 1832
Size, 453
SMAI, 1
Small deformations, 1465
Soap–glycerol micelles, 852
Sodium acrylate, 1749, 2621
Sodium alginate, 617
Sodium birnessite, 1177
Soft segment, 577
Sol–gel process, 2832
5Sol-gel process, 797
Solid matrix, 1165
Solidification, 1269
Solid-state ^{13}C-NMR, 841
Solid-state C-13 NMR, 1284
Solid-state condensation, 2165
Solubility, 89, 1439, 1716, 2543
Solubility parameter, 2561

Soluble, 1574
Solution copolymerization, 602
Solvent, 2113
Solvent effect on PPO membrane, 2558
Solvent resistance, 1782
Solvent-diffusion coefficient, 428
Solvents, 1401
Sorption, 764, 2391, 2409
Sorption selectivity, 2691
Soybean oil, 467
Specific volume, 1393
Spectroscopy, 1144
Spinning, 64
Spinodal decomposition, 776
Spiroacetal–norbornene containing polymer, 30
SSIMS, 517
Stability, 2957
Stability constants, 2552
Stability of enzyme activity, 368
Stabilization, 1432
Starburst polymers, 1207
Starch, 1303, 2480, 2575
Starch degradation, 1643
Starch/PCL blend, 2049
State of cure, 2448
Static-dynamic mechanical properties, 1128
Steady-state fluorescence (SSF), 1087
Stern–Volmer plots, 2795
Stiffness-toughness balance, 1591
Strain energy function, 660
Strain-induced crystallization, 1056
Stress relaxation, 1067
Stress–strain behavior, 2335, 2418
Stress–strain properties, 816
Stretching, 2088
Structural approach, 45
Structure, 202
Structure and property, 96
Structure–property relationships, 1207
Styrene, 1003, 1240, 2419, 2455, 3024
Styrene–alkyl acrylate copolymers, 903
Styrene–EPDM–vinyl acetate graft polymer (SEV), 2296
Styrene-hydroxyphenyl maleimide copolymer, 75
Substituent effects, 484
Sugar cane bagasse, 1832
Sulfhydryl chitin, 151
Sulfonated maleated SEBS, 816
Sulfonated polysulfone, 1250

Sulfonated SEBS, 816
Sulfonated–brominated PPO, 1137
Sulfonation, 1250
Sulfur compound, 955
Sulfur mustard, 2472
Sulfur vulcanizing systems, 1816
Superabsorbent, 1749
Supercritical fluid, 764
Supercritical propane, 1478
Super-nucleophilic agent, 363
Surface energies, 1378
Surface energy, 756
Surface grafting, 2437
Surface modification, 1913
Surface structure, 517, 1913
Surface tension, 2493
Surface treatment, 1128
Surface-active, 1700
Surfactants, 2785
Surlyn®, 2832
Suspension, 453
Suspension copolymerization, 156
Suspension polymerization, 903, 1841
Swelling, 1037, 1989
Swelling behavior, 14, 1128, 1749, 1769
Swelling property, 914
Swelling ratio, 1760
Syndiotacticity-rich UHMW PVA, 123
Synthesis, 30, 1144, 1700, 2009, 2711
Synthesis and application, 1506

$T_{1\rho H}$, 841
$T_{1\rho;H}$, 1284
Talc, 2974
Talc-filled polypropylene composites, 1275
TDI, 1886
Temperature, 1357
Temperature sensitivity, 2703
TEMPO, 1950
Tensile modulus, 1621
Tensile properties, 64, 1445
Tensile property, 2296
Tensile recovery, 2418
Tensile strength, 323, 852, 1621, 2335, 2340
Tensile toughness, 2049
Tensilometry, 852
Ternary blends, 2319
4-*tert*-butylcatechol (TBC), 2419
Tetrafunctional epoxy resins, 2430
Tetrahydrofuran, 810
Tetrahydronaphthyridine, 2588
Tetramethylthiuram disulfide, 2732
1,1,2,2-Tetraphenyl-1,2-ethanediol/$FeCl_3$/PPh_3, 1607
Tetraphenylthiophene diamine, 1144
TGA, 1877
Thermal analysis, 1629, 2685
Thermal behavior, 1144
Thermal blunting, 2486
Thermal characterization, 538
Thermal degradative volatiles, 719
Thermal diffusivity, 2486
Thermal, mechanical, and physical properties, 237
Thermal polymerization, 568
Thermal properties, 500, 547, 1614, 2543
Thermal property, 673, 2908
Thermal simulated current, 1568
Thermal spray, nylon 11 coatings, 1684
Thermal stability, 135, 467, 1171, 1723, 1877, 2009, 2296, 2732, 2889, 2939
Thermal stabilizers, 2603
Thermally stable polymers, 1218
Thermodynamic parameters, 2552
Thermogravimetric analysis, 1538
Thermogravimetry, 1432
Thermophysical properties, 374
Thermoplastic elastomer, 2156
Thermoplastic elastomers, 1902, 2057, 2641
Thermoreversible, 1760, 1769
Thermoreversible hydrogel, 14
Thermosensitive, 2915
Thermoset/thermoplastic composites, 1257
Thermosetting resin, 2901
Thermostable polyurethane foams, 2667
Thermotropic cellulose derivatives, 418
Thermotropic copolyesters, 949
Thermotropic liquid crystalline polymer, 2319
Thin film, 1506, 2396
Thiol, 1902
Thiourea, 2718
Thiourea, amine, 2732
Thiourea–formaldehyde (TUF) resin, 390
Thixotropy, 1029
Time dependence, 1378
Time–temperature–transformation diagram, 2305
Titanium dioxide, 1029
Toluene, 1362
Toluene-2,4-di-isocyanate, 2201
Toughening, 24, 409, 1975
Trans-1,4-cyclohexane diisocyanate, 1102
Transcrystalline region, 2513
Transesterification, 141
Transfer agent, 810
Transmission electron microscopy (TEM), 1165
Transparent nonporous membranes, 2365
Treated wood, 390
Trialkylamines, 898
Tri-methylaluminum (TMA), 890
Triphase catalysis, 104
Triphenyl phosphite/pyridine, 116
Twisted yarn, 1938
Two-beam coupling experiment, 189
Two-stage, 297

Ultrafiltration, 1096, 1600, 2606
Ultrahigh molecular weight polyethylene solution, 2877
Ultrahigh molecular weight polyethylene (UHMWPE), 2525
Ultrasound, 1950, 2340
Ultraviolet irradiation, 96, 2569
Ultraviolet (UV) irradiation, 59
Uniaxial deformation, 636
Uniaxial drawing, 699
Uniaxially draw, 2044
Unimodal decomposition, 1387
Unplasticized poly(vinyl chloride), 2657
Unsaturated polyester composites, 1128
Uranyl adsorption, 1037
Uranyl complexation, 1230
Urea, 249
Urea–formaldehyde resin, 64
Urease, 2000
Urethane, 2212
Urethane acrylate resin, 1532
Urethane prepolymer, 2237
Urethane–acrylate, 355
Uric acid, 2667
UV cure, 8
UV curing, 1902
UV irradiation, 1513, 1522, 2505
UV photograft, 2595
UV/VIS, 500

Vegetable oils, 1723
Vinyl acetate, 1513, 1522

Vinyl chloride, 156
Vinyl monomer, 2581
Vinyl monomers, 1077
4-Vinyl pyridine, 1861
1-Vinyl-3-(3-sulfopropyl) imidazolium betaine, 14
Vinyltriethoxysilane, 711
Vinyltrimethoxysilane, 711
Viscosity, 756, 921, 2139
VOCs, 2691
Volatile substances evolved from poly(ethylene terephthalate), 1894
Volume expansion, 53
Volume-phase hologram, 2189
Vulcanizates, 2088
Wall shear stress, 1621
Waste rubber powder, 2595
Water, 1716
Water absorbency, 1749
Water absorption, 556
Water content, 1056
Water dispersible, 2948
Water sorption, 1439
Water-based mud, 195
Wear mechanism, 2404
Well-defined polystyrene, 1607
White pinewood, 390
Wood polymer composite, 2963
Woodfibers, 260
Woven fabric, 2104
Wrinkle-resistant finish, 489
Xerogel, 1749
XPS, 500, 2455
X-ray diffraction method, 852
Yamazaki reaction, 1144
Yielding, 1545
Young's modulus, 1938, 2335
Ziegler–Natta catalyst, 1195
Ziegler-Natta, 1574
Zinc anthranilate, 2603
Zinc bis(pentamethylenedithio-carbamate), 2718
Zinc ions, 2246
Zinc maleate, 2603
Zinc oxide, 2740
Zone draw ratio, 123